

GEOPHYSICAL BULLETIN

No. 12

The Climate of Dublin City

I

Rainfall at Trinity College


BY

L. W. POLLAK and T. J. MORLEY


Scoil na Fisice Cosmaí, Institiúid Árd-Léinn Bhaile Átha Cliath
School of Cosmic Physics, Dublin Institute for Advanced Studies

January 1956

Price : 7s. 6d.



Aerial View of Trinity College, Dublin



Plan of Instrument Enclosure at Trinity College, Dublin and Surroundings

INTRODUCTION

The completion of fifty years of meteorological observations at the same site in Trinity College, Dublin and our own requirements suggested compiling this Bulletin which may be considered as a first contribution to the Climatology of Dublin City.

A second part covering temperature and humidity is already far advanced. In a further contribution a statistical analysis of the material will be given.

At Trinity College, Dublin (Latitude : $53^{\circ} 21'$ N., Longitude : $6^{\circ} 16'$ W. of Greenwich, Height of Station : 13 feet above M.S.L.), in the heart of the city, continuous observations of atmospheric pressure, temperature, rainfall, relative humidity, wind and cloud and records of sunshine have been made daily from January 1904 to July 1950 under the authority of the College. The material is quite complete apart from three months' data (September 1914, April and May 1916) due to war and warlike conditions but reliable estimates for the missing values have been obtained by reference to those recorded at Phoenix Park, Dublin.

In July 1950 the School of Cosmic Physics took over the operation of the meteorological station in Trinity College. Observations of most elements were continued at the same site. Some observations (temperature and humidity) were duplicated with more up-to-date instruments. Measurements with the 8-inch (20.3 cm) diameter rain-gauge No. 682 on which the tables up to July 1950 inclusive are based, were abandoned on 12th September 1954 and this instrument was replaced by a Dines Tilting-Siphon Rain Recorder M 1200/81 which is in use since 20th March 1955. Wind observations and records of sunshine which we did not consider truly representative were discontinued in favour of the records made in unobstructed exposure on the roof of the School of Cosmic Physics at 5, Merrion Square which is quite adjacent to Trinity College.

The instrument enclosure is situated in the College grounds between the Fellows' and the Provost's Gardens. An aerial view of the grounds and a plan showing the location of the various instruments together with their surroundings are given in the two plates. The figures in the plan denote :—

- 1 Large Stevenson Screen, in use from July 1950
- 2 Small Stevenson Screen, in use from 1904 up to date
- 3 Standard Rain-gauge No. M.O. 3635/4 (5-inch or 12.7 cm diameter, rim 12 inches above ground), in use from July 1950
- 4 Standard Rain-gauge No. 682 (8-inch or 20.3 cm diameter, rim 18 inches above ground), in use from 1904 to September 1954
- 5 Standard Kew-pattern Station Barometer No. M.O. 930.

During the fifty years the meteorological observations were carried out by students of Experimental Science in Trinity College and later by the permanent meteorological observer of the School of Cosmic Physics.

The monthly returns on which this Climatology of Dublin City is based have been regularly scrutinised either in the British Meteorological Office or later in the Irish Meteorological Service. Furthermore, the rainfall values given in the tables of the Bulletin have been tested for homogeneity numerically and graphically in the accepted manner and found to be in very good agreement with the records of Phoenix Park.

THE CLIMATE OF DUBLIN CITY

The values contained in the tables are derived from daily measurements of precipitation made at 9 a.m. G.M.T. Figures in round brackets are estimated values deduced from a neighbouring station. The averages on which Tables 2, 4, 8 and 11 are based refer to the period 1881-1915 and are as follows:-

Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
55.4	44.5	46.7	47.0	49.0	46.5	62.0	73.7	47.2	63.8	66.3	59.7	661.8

These averages are based on values given on page 280 of Air Ministry Meteorological Office Publication M.O. 236 (Section V) "The Book of Normals of Meteorological Elements for the British Isles for periods ending 1915 — Monthly Normals of Rainfall, 1924". On page 224 of this publication it is stated that the Trinity College, Dublin station is one of those with "records of less than 35 years; averages adjusted by comparison with the records at neighbouring stations".

Tables 8 to 11 give the values of the first column (printed in heavy type) in ascending order together with the corresponding rainfall data.

We are indebted to the Director of the Irish Meteorological Service for making available the original Trinity College monthly returns and to the Calculating and Statistical Service in Dublin for the prompt production of the punched cards and for their reliable sorting and tabulating.

L. W. POLLAK

T. J. MORLEY

Table I — Monthly and Annual Totals of Rainfall (mm) at Trinity College, Dublin
 for the Years 1904-1953

Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual Total
1904	62.2	81.8	53.6	28.7	66.8	26.2	26.9	74.2	57.2	10.7	28.2	36.1	552.6
1905	44.2	17.5	71.4	59.9	28.4	28.7	19.8	165.6	29.2	26.2	92.7	27.4	611.0
1906	98.3	39.1	35.1	42.7	61.2	25.4	24.1	39.9	20.3	80.8	35.3	45.2	547.4
1907	10.4	30.0	47.0	65.8	76.5	69.3	45.2	56.4	11.4	126.2	63.0	51.6	652.8
1908	47.8	32.3	70.4	55.4	30.7	34.5	51.3	81.8	56.1	28.7	29.5	38.9	557.4
1909	30.7	14.5	66.0	99.8	28.4	48.5	82.6	30.7	46.7	62.7	33.0	106.7	650.3
1910	72.1	90.2	19.8	50.8	62.7	150.1	61.2	82.6	15.2	52.1	66.5	133.6	856.9
1911	14.5	22.6	33.0	46.5	26.4	38.9	72.4	25.4	25.1	92.2	70.9	51.8	561.9
1912	81.5	54.6	64.0	30.0	27.2	61.0	73.7	123.4	12.4	40.4	33.8	53.6	653.8
1913	135.9	13.2	54.4	67.8	68.8	28.7	15.2	23.9	108.2	91.4	45.2	706.3	
1914	24.4	59.4	49.5	19.3	41.1	22.9	57.7	79.0	(28.9)	31.2	78.0	151.4	642.8
1915	53.6	78.7	26.7	34.0	37.1	35.4	133.7	59.5	22.9	107.7	100.2	114.3	803.8
1916	31.8	83.5	80.9	49.6	(95.8)	57.6	49.2	68.6	53.0	146.0	142.6	69.3	927.9
1917	30.2	39.9	71.2	20.0	68.2	42.9	44.7	186.5	41.0	63.2	37.2	62.3	707.3
1918	37.6	42.9	25.0	44.8	55.0	19.2	68.4	50.2	116.5	54.6	60.0	60.8	635.0
1919	61.9	37.0	54.5	22.9	39.4	69.0	26.2	60.8	49.8	54.4	68.9	90.4	635.2
1920	104.0	43.8	48.2	66.5	64.3	46.6	120.7	34.0	22.5	149.4	58.1	46.7	804.8
1921	57.0	16.8	50.6	19.3	39.6	4.1	105.0	60.4	33.0	47.0	61.1	58.5	552.4
1922	54.3	31.4	24.8	55.6	15.7	17.4	51.2	104.4	61.8	21.3	6.6	41.9	486.4
1923	40.8	141.0	27.0	76.8	43.6	24.5	59.7	102.7	45.2	51.2	47.8	40.5	700.8
1924	85.2	19.4	12.9	42.2	67.4	66.7	88.3	79.6	135.6	43.6	56.6	116.3	813.8
1925	57.0	102.6	15.1	58.8	132.8	6.0	66.1	31.2	55.6	62.5	78.7	45.7	712.1
1926	100.3	42.6	20.6	35.2	55.1	52.6	57.7	54.4	37.2	74.3	88.8	20.0	638.8
1927	50.5	59.4	73.9	27.9	18.1	61.9	68.4	174.6	82.9	68.4	57.0	60.9	803.9
1928	48.5	59.8	101.6	28.6	28.2	113.2	28.2	59.1	19.0	60.7	81.4	64.7	693.0
1929	26.7	48.0	5.9	37.9	31.0	38.2	54.4	92.7	8.2	59.1	118.5	147.3	667.9
1930	84.3	25.3	83.8	24.6	49.3	44.9	66.8	120.4	165.1	90.1	55.6	62.7	872.9
1931	33.9	33.0	36.0	75.9	92.2	93.2	82.2	78.7	125.1	15.6	104.4	21.3	791.5
1932	52.4	4.4	29.1	59.0	83.6	8.5	105.6	33.1	56.3	56.6	26.4	93.3	608.3
1933	33.7	85.7	42.2	27.3	65.3	31.7	42.1	15.3	21.5	55.6	23.5	37.4	481.3
1934	40.8	0.9	60.0	59.4	41.2	37.8	34.9	77.3	68.4	44.3	48.5	118.1	631.6
1935	30.0	85.7	13.1	39.9	35.8	62.9	14.8	57.0	89.0	60.9	85.3	37.1	611.5
1936	86.7	46.5	38.8	49.6	28.9	77.0	130.3	24.6	65.0	33.7	61.2	58.0	700.3
1937	100.7	77.5	112.1	44.6	38.4	28.1	37.6	81.0	36.5	93.0	49.6	43.1	742.2
1938	64.7	11.4	17.7	1.4	58.8	70.1	95.8	50.9	31.0	101.1	68.0	80.7	651.6
1939	86.6	55.6	53.4	40.0	10.7	33.9	46.1	41.8	85.4	87.5	86.5	43.8	671.3
1940	58.1	89.9	31.5	71.4	19.0	22.2	102.2	10.9	47.4	130.8	83.6	45.2	712.2
1941	108.8	65.5	93.6	62.6	64.5	18.6	33.5	56.5	14.3	49.9	79.0	33.3	680.1
1942	72.2	22.1	61.1	24.5	61.2	3.9	41.4	84.1	98.4	38.4	11.2	74.7	593.2
1943	109.3	22.7	16.4	25.6	94.1	56.3	34.4	55.8	56.2	67.2	67.0	34.9	639.9
1944	78.3	27.4	9.3	38.7	22.8	25.6	53.2	55.8	116.5	70.3	115.0	46.6	659.5
1945	26.8	37.0	13.6	39.2	51.1	79.7	66.5	16.2	51.9	38.2	11.5	77.0	508.7
1946	57.2	76.9	31.2	27.3	49.3	73.5	63.1	136.9	113.5	52.8	77.2	70.8	829.7
1947	89.3	72.5	136.1	77.9	90.7	83.5	68.8	30.3	41.7	18.8	62.0	95.3	866.9
1948	163.2	34.1	37.3	70.4	57.4	68.4	56.6	81.5	60.1	23.6	32.3	111.7	796.6
1949	48.8	22.4	46.7	41.6	31.9	15.7	36.0	67.3	26.8	80.2	43.8	61.4	522.6
1950	14.5	105.0	23.7	55.5	39.0	28.7	61.6	133.2	92.6	72.4	49.6	50.7	726.5
1951	70.5	67.7	87.8	26.1	48.0	25.1	49.2	86.9	49.3	10.7	114.6	86.0	721.9
1952	59.3	17.6	26.2	47.0	59.7	25.8	21.6	107.4	65.0	84.4	78.0	54.2	646.2
1953	13.1	40.9	9.0	66.3	31.8	26.5	67.0	62.7	31.4	35.0	47.1	31.7	462.5

Table 2 — Monthly and Annual Rainfall at Trinity College, Dublin for the Years 1904–1953
expressed as Percentage of the Average 1881–1915

Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1904	112	184	115	61	136	56	43	101	121	17	43	60	83
1905	80	39	153	127	58	62	32	225	62	41	140	46	92
1906	177	88	75	91	125	55	39	54	43	127	53	76	83
1907	19	67	101	140	156	149	73	77	24	198	95	86	99
1908	86	73	151	118	63	74	83	111	119	45	44	65	84
1909	55	33	141	212	58	104	133	42	99	98	50	179	98
1910	130	203	42	108	128	323	99	112	32	82	100	224	129
1911	26	51	71	99	54	84	117	34	53	145	107	157	85
1912	147	123	137	64	56	131	119	167	26	63	51	87	99
1913	245	30	116	144	140	62	25	32	229	143	81	76	107
1914	44	133	106	41	84	49	93	107	(61)	49	118	254	97
1915	97	177	57	72	76	216	81	49	169	151	191	121	
1916	57	188	173	(106)	(196)	124	79	93	112	229	215	116	140
1917	55	90	152	43	139	92	72	253	87	99	56	104	107
1918	68	96	54	95	112	41	110	68	247	86	90	102	96
1919	112	83	117	49	80	148	42	82	106	85	104	151	96
1920	188	98	103	142	131	100	195	46	48	234	88	78	122
1921	103	38	108	41	81	9	169	82	70	74	92	98	83
1922	98	71	53	118	32	37	83	142	131	33	10	70	73
1923	74	317	58	163	89	53	96	139	96	80	72	68	106
1924	154	44	28	90	138	143	142	108	287	68	85	195	123
1925	103	231	32	125	271	13	107	42	118	98	119	77	108
1926	181	96	44	75	112	113	93	74	79	116	134	34	97
1927	91	133	158	59	37	133	110	237	176	107	86	102	121
1928	88	134	218	61	58	243	45	80	40	95	123	108	105
1929	48	108	13	81	63	82	88	126	17	93	179	247	101
1930	152	57	179	52	101	97	108	163	350	141	84	105	132
1931	61	74	77	161	188	200	133	107	265	24	157	36	120
1932	95	10	62	126	171	18	170	45	119	89	40	156	92
1933	61	193	90	58	133	68	68	21	46	87	35	63	73
1934	74	2	128	126	84	81	56	105	145	69	73	198	95
1935	54	193	28	85	73	135	24	77	189	95	129	62	92
1936	156	104	83	106	59	166	210	33	138	53	92	97	106
1937	182	174	240	95	78	60	61	110	77	146	75	72	112
1938	117	26	38	3	120	151	155	69	66	158	103	135	98
1939	156	125	114	85	22	73	74	57	181	137	130	73	101
1940	105	202	67	152	39	48	165	15	100	205	126	76	108
1941	196	147	200	133	132	40	54	77	30	78	119	56	103
1942	130	50	131	52	125	8	67	114	208	60	17	125	90
1943	197	51	35	54	192	121	55	76	119	105	101	58	97
1944	141	62	20	82	47	55	86	76	247	110	173	78	100
1945	48	83	29	83	104	171	107	22	110	60	17	129	77
1946	103	173	67	58	101	158	102	186	240	83	116	119	125
1947	161	163	291	166	185	180	111	41	88	29	94	160	131
1948	295	77	80	150	117	147	91	111	127	37	49	187	120
1949	88	50	100	89	65	34	58	91	57	126	66	103	79
1950	26	236	51	118	80	62	99	181	196	113	75	85	110
1951	127	152	188	56	98	54	79	118	104	17	173	144	109
1952	107	40	56	100	122	55	35	146	138	132	118	91	98
1953	24	92	19	141	65	57	108	85	67	55	71	53	70

Table 3 — Monthly and Annual Averages of Rainfall (mm) at Trinity College, Dublin
for Periods from 1904 to 1953

Period	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1904-1910	52.2	43.6	51.9	57.6	50.7	54.7	44.4	75.9	33.7	55.3	49.7	62.8	632.5
1911-1920	57.5	47.6	50.7	(40.1)	(52.3)	42.2	66.2	71.1	(48.0)	83.1	70.3	78.6	707.7
1921-1930	60.5	54.6	41.6	40.7	48.1	42.9	64.6	87.9	64.4	57.8	65.2	65.9	694.2
1931-1940	58.8	49.1	43.4	46.9	47.4	46.5	69.2	47.1	62.6	67.9	63.7	57.8	660.4
1941-1950	76.8	48.6	46.9	46.3	56.2	45.4	51.5	71.8	67.2	51.2	54.9	65.6	682.4
1951-1953	47.6	42.1	41.0	46.5	46.5	25.8	45.9	85.7	48.6	43.4	79.9	57.3	610.3
1904-1953	60.9	48.6	46.3	45.7	50.7	44.6	59.3	71.3	56.1	62.3	62.6	65.8	674.2

Table 4 — Monthly and Annual Averages of Rainfall at Trinity College, Dublin
for Periods from 1904 to 1953 expressed as Percentage of the Average 1881-1915

Period	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1904-1910	94	98	111	123	103	118	72	103	71	87	75	105	96
1911-1920	104	107	109	85	107	91	107	97	102	130	106	132	107
1921-1930	109	123	89	87	98	92	104	119	136	91	98	110	105
1931-1940	106	110	93	100	97	100	112	64	133	106	96	97	100
1941-1950	139	109	100	99	115	98	83	97	142	80	83	110	103
1951-1953	86	95	88	99	95	55	74	116	103	68	121	96	92
1904-1953	110	109	99	97	103	96	96	97	119	98	94	110	102

Table 5 — Rainfall at Trinity College, Dublin for the Years 1904-1953:

Year	January		February		March		April		May		June	
	mm		mm		mm		mm		mm		mm	
1904	14.5	3	11.2	3	12.7	7	4.8	2	27.7	31	5.8	10
1905	13.0	16	4.3	25	20.8	23	15.5	30	18.0	1	9.1	18
1906	14.0	17	8.1	22	12.2	10	15.0	29	12.4	19	3.6	15
1907	4.6	1	9.4	11	18.0	19	8.4	2	27.7	6	12.7	4
1908	16.5	6	9.7	14	17.8	5	20.8	27	5.6	7	7.9	2
1909	6.1	18	6.4	28	11.2	28	41.7	3	9.4	17	13.5	23
1910	22.6	28	20.1	18	8.1	1	11.4	19	9.1	18	32.3	5
1911	4.3	5	4.9	18	5.8	31	19.1	18	9.8	13	8.5	16
1912	19.1	6	14.1	18	10.2	20	21.2	21	8.4	19	5.7	2
1913	36.6	10	3.3	24	7.4	2	20.8	29	17.5	5	6.1	19
1914	4.2	31	12.6	21	5.0	15	5.1	3	9.9	22	8.0	20
1915	8.6	15	11.9	5	14.2	22	5.4	30	15.4	17	12.6	25
1916	6.0	6	11.5	29	16.9	19	(9.3)	(19)	(37.1)	(5)	14.0	30
1917	6.0	13	22.7	19	24.7	4	4.1	17	20.5	26	14.5	25
1918	8.6	18	6.3	10	4.5	27, 29	11.4	9	10.3	1	4.0	8
1919	8.3	8	6.6	21	9.6	18	5.3	26	11.0	14	35.1	12
1920	17.4	9	7.8	3	10.2	1	11.2	9	12.2	18	13.0	12
1921	11.3	1	7.1	24	11.6	14	5.9	17	7.5	8	1.0	7, 26
1922	8.9	25	4.2	3	5.1	4	12.5	14	5.0	17	4.2	12
1923	7.6	2	20.5	10	3.5	1	27.8	4	9.3	22	7.9	17
1924	21.1	12	10.2	8	4.6	4	8.8	29	16.6	9	15.8	17
1925	10.0	4	14.2	22	3.7	20	10.0	5	16.2	18	4.7	5
1926	27.6	28	6.5	5	8.2	3	7.1	14	19.4	1	14.3	17
1927	9.9	25	13.7	28	15.2	31	5.2	4	5.9	2	13.6	30
1928	6.5	17	11.4	10	18.6	23	10.2	13	11.6	27	27.0	13
1929	7.3	28	10.0	5	3.2	20	15.4	27	7.8	5	8.5	8
1930	28.5	31	7.6	4	16.2	18	5.5	3	24.0	30	13.7	18
1931	6.8	30	5.2	11	8.4	28	22.5	1	25.9	19	20.4	5
1932	10.4	5	2.9	9	7.2	7	13.0	30	18.0	8	4.4	27
1933	7.6	14	17.6	24	12.9	19	12.0	23	18.8	2	4.5	24
1934	15.0	13	0.2	2, 3.7, 24	14.4	14	13.3	13	11.5	17	7.2	27
1935	7.1	25	34.5	24	3.9	1	7.3	20	9.4	19	16.9	17
1936	20.4	19	9.5	17	11.6	26	10.6	21	13.8	5	19.8	1
1937	15.8	21	14.4	7	24.8	11	9.0	3	14.7	9	6.6	6
1938	9.3	31	3.8	26	6.9	20	1.4	2	17.4	15	10.6	28
1939	14.5	17	28.9	22	13.5	8	10.7	3	3.6	6	6.5	27
1940	23.6	27	31.7	16	5.8	12	12.2	22	6.7	21	5.0	15, 22
1941	14.5	15	10.1	17	39.3	31	15.2	17	20.9	22	6.7	5
1942	9.3	19	9.0	27	13.1	4	4.4	4	12.0	19	3.3	14
1943	20.5	11	6.4	8	6.1	3	5.7	24	26.4	9	11.2	17
1944	19.9	9	7.9	26	3.3	14	12.9	1	9.0	31	9.0	30
1945	6.2	18	8.4	22	4.6	19	18.4	1	9.2	26	13.0	29
1946	12.4	29	18.8	7	7.5	12	4.6	24	15.0	26	21.4	4
1947	13.3	5	24.8	2	31.1	16	19.4	21	22.8	9	16.8	2
1948	32.2	3	6.7	1	17.8	29	19.5	21	14.1	30	15.1	2
1949	22.6	3	4.9	11	14.8	4	18.7	5	5.8	24	4.1	18
1950	5.9	29	23.9	9	10.9	18	10.2	28	13.3	17	10.2	22
1951	15.0	9	19.2	2	19.8	7	5.8	8	12.6	4	5.2	7
1952	13.5	22	11.3	10	8.2	15	20.2	21	12.6	2	4.2	14
1953	5.0	30	17.1	9	4.8	31	15.9	5	9.4	18	5.9	14

Greatest Fall in a Day and Date of Occurrence

Year	July		August		September		October		November		December		Year		
	mm		mm		mm		mm		mm		mm		mm	{ May Sept.	{ 31 12
1904	7.6	15	23.1	30	27.7	12	5.1	16	9.9	6	9.9	9	27.7	{ Sept.	25
1905	2.5	9	83.8	25	6.6	24	7.5	2	17.8	1	5.8	18	83.8	Aug.	25
1906	6.4	1	8.6	24	5.1	11	13.0	11	7.1	7	9.9	15	15.0	April	29
1907	9.9	2	12.2	29	5.6	3	18.5	8	13.2	26	13.5	19	27.7	May	6
1908	13.5	7	40.9	20	11.9	8	5.3	20	8.6	13	14.7	28	40.9	Aug.	20
1909	11.9	24	9.9	21	18.3	27	12.7	23	17.3	13	25.1	5	41.7	April	3
1910	14.2	5	26.9	1	3.3	10	28.4	2	15.5	22	20.8	1	32.3	June	5
1911	35.3	29	6.6	28	10.5	25	19.7	20	14.7	12	19.1	14	35.3	July	29
1912	13.2	31	35.8	4	6.9	29	10.2	26	8.9	4	10.7	25	35.8	Aug.	4
1913	3.6	18	9.4	9	40.6	19	22.1	7	13.7	7	13.2	3	40.6	Sept.	19
1914	16.8	4	25.9	14	(11.7)	(16)	13.1	31	7.4	11	28.2	11	28.2	Dec.	11
1915	28.2	16	9.6	1	5.0	24	21.7	19	51.4	12	(12.9)	3	51.4	Nov.	12
1916	12.1	1	13.4	27	16.0	2	18.6	2	39.4	17	11.3	12	39.4	Nov.	17
1917	8.9	20	30.3	27	11.0	17	15.1	3	10.1	11	16.1	16	30.3	Aug.	27
1918	9.2	25	11.9	5	31.9	15	10.3	31	30.3	1	11.8	15	31.9	Sept.	15
1919	10.7	21	16.0	25	11.8	22	25.6	23	12.6	15	14.6	14	35.1	June	12
1920	27.5	25	8.9	4	5.5	9	21.7	6	25.2	27	12.7	29	27.5	July	25
1921	37.4	27	13.6	5	14.7	12	10.4	22	12.3	1	22.5	27	37.4	July	27
1922	11.0	7	42.7	30	11.2	18	3.2	11	2.3	6	8.3	13	42.7	Aug.	4
1923	18.2	6	21.7	29	8.5	17	14.8	26	12.1	28	6.4	29	27.8	April	7
1924	27.2	3	8.8	2	38.0	7	7.4	30	18.0	26	16.0	2	38.0	Sept.	7
1925	37.8	26	7.0	1	15.1	17	23.1	19	26.5	6	12.0	25	37.8	July	26
1926	28.4	18	8.9	14	11.3	8	12.6	12	17.0	18	8.3	4	28.4	July	18
1927	28.7	20	31.6	15	12.2	10	32.6	21	13.4	17	20.0	21	32.6	Oct.	21
1928	6.0	28	15.8	19	5.0	5	18.6	10	18.4	2	11.2	15	27.0	June	13
1929	19.9	21	24.9	3	4.0	28	18.7	7	19.7	15	18.8	20	24.9	Aug.	3
1930	14.1	15	26.4	18	36.7	19	20.1	17	18.1	23	20.3	10	36.7	Sept.	19
1931	17.5	15	20.2	7	74.2	3	3.2	9	16.9	3	6.6	2	74.2	Sept.	3
1932	41.9	13	12.0	13	13.4	2	15.2	21	8.2	24	25.6	18	41.9	July	13
1933	6.7	14	5.2	24	7.1	22	18.0	19	4.9	17	14.1	27	18.8	May	2
1934	7.0	29	19.6	1	17.5	16	13.8	24	13.5	9	26.2	4	26.2	Dec.	4
1935	3.7	13	22.8	26	13.0	1	14.7	9	23.0	20	7.7	24	34.5	Feb.	24
1936	32.1	17	10.1	18	13.7	6	11.5	30	23.0	11	14.2	11	32.1	July	17
1937	5.8	14	29.9	13	7.0	30	38.3	25	21.3	22	11.6	1	38.3	Oct.	25
1938	44.0	7	23.1	7	10.7	28	15.2	17	27.4	12	17.4	10	44.0	July	7
1939	9.8	18	12.6	2	39.9	2	22.2	4	14.7	4	14.6	13	39.9	Sept.	2
1940	22.1	12	3.0	18	11.1	16	29.8	9	19.6	5	8.0	31	31.7	Feb.	16
1941	6.5	24	7.1	25	3.2	26	15.0	17	11.4	20	17.4	27	39.3	Mar.	31
1942	16.1	26	22.4	24	24.4	28	6.0	23	4.4	10	15.3	15	24.4	Sept.	28
1943	6.4	9	7.3	27	22.0	16	17.9	31	22.3	2	7.7	20	26.4	May	9
1944	7.6	2	18.4	18	18.0	5	14.5	10	20.0	18	12.5	16	20.0	Nov.	18
1945	26.1	15	4.0	27	18.3	15	12.9	23	2.8	12	18.7	6	26.1	July	15
1946	23.1	26	35.8	12	30.5	19	14.9	19	14.1	28	16.2	10	35.8	Aug.	12
1947	17.7	25	29.6	1	9.9	16	7.5	21	8.7	11	24.9	4	31.1	Mar.	16
1948	17.5	17	28.3	6	15.0	1	5.9	13	5.8	12	22.0	26	32.2	Jan.	3
1949	10.4	15	22.4	7	8.4	22	25.3	25	9.3	8	10.0	12	25.3	Oct.	25
1950	20.9	13	22.9	25	19.3	6	24.0	21	9.8	18	24.5	25	24.5	Dec.	26
1951	12.6	10	19.0	23	10.2	3	5.1	27	37.4	4	12.9	8	37.4	Nov.	4
1952	8.3	7	23.9	7	29.4	28	17.1	13	15.9	20	12.3	6	29.4	Sept.	28
1953	8.5	13	14.9	28	6.9	19	11.9	26	17.7	13	11.7	3	17.7	Nov.	13

Table 6 — Rainfall at Trinity College, Dublin for the Years 1904–1953: Number of Rain Days
(0.2 mm or more)

Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year	
1904	16	18	18	16	16	9	14	17	16	7	9	16	172	
1905	14	13	20	26	8	10	17	20	13	11	19	13	184	
1906	21	18	16	17	19	12	12	16	7	20	17	17	192	
1907	6	12	16	20	18	23	18	19	6	27	13	17	195	
1908	14	15	20	12	16	9	11	14	15	10	12	13	161	
1909	11	6	17	21	12	8	18	12	14	23	10	20	172	
1910	17	23	11	17	20	14	16	22	10	14	14	25	203	
1911	7	13	11	14	8	9	11	15	11	18	19	24	160	
1912	17	14	21	5	13	22	15	23	5	11	13	20	179	
1913	20	10	20	17	13	10	10	8	10	16	18	11	163	
1914	11	15	19	9	12	5	17	16	(10)	9	19	19	161	
1915	14	18	7	15	10	11	20	15	12	18	8	25	173	
1916	13	25	23	(17)	(17)	18	11	16	12	24	17	24	217	
1917	18	11	22	11	11	11	13	26	15	23	18	17	196	
1918	15	20	11	10	10	12	18	13	22	20	12	22	185	
1919	23	16	19	15	12	14	9	16	16	14	23	26	203	
1920	21	14	17	25	21	14	24	12	14	16	14	17	209	
1921	22	7	20	10	19	6	12	21	6	17	18	15	173	
1922	18	16	13	19	13	12	22	18	15	15	9	18	188	
1923	16	24	15	20	17	9	17	21	19	21	21	20	219	
1924	24	12	7	12	22	16	22	22	19	18	13	22	209	
1925	15	23	12	18	26	3	14	17	20	22	16	20	206	
1926	24	20	15	19	18	16	14	21	12	20	26	10	215	
1927	17	13	20	14	12	21	15	21	20	14	15	15	197	
1928	24	13	22	16	7	21	9	20	12	20	20	19	203	
1929	11	18	4	10	15	14	12	21	7	21	26	26	185	
1930	20	9	21	14	11	14	20	23	20	24	15	16	207	
1931	18	17	12	18	21	18	22	11	12	9	21	13	192	
1932	14	5	12	20	22	5	25	11	14	21	10	21	180	
1933	12	17	13	9	16	13	15	11	7	15	13	14	155	
1934	17	4	18	18	12	14	11	19	20	16	12	26	187	
1935	11	19	7	19	8	20	9	11	19	19	15	18	175	
1936	19	16	15	16	9	15	27	11	15	12	18	17	190	
1937	19	21	21	14	13	15	14	12	15	12	18	17	192	
1938	20	10	8	1	18	20	17	15	14	12	14	20	180	
1939	21	16	20	13	7	16	18	12	12	21	23	14	193	
1940	10	16	15	20	6	7	24	6	15	19	18	18	174	
1941	17	19	19	10	13	10	13	24	8	14	23	11	181	
1942	22	10	19	11	18	3	15	17	18	20	7	19	179	
1943	20	13	11	14	16	20	12	19	18	16	19	14	192	
1944	20	14	7	12	9	14	16	12	18	21	20	16	179	
1945	14	17	7	12	16	18	12	10	14	11	9	15	155	
1946	14	13	11	13	13	21	18	12	23	9	16	19	192	
1947	22	14	20	17	18	20	16	2	15	9	22	14	189	
1948	24	15	12	16	13	18	13	16	20	12	15	21	193	
1949	9	10	12	14	15	10	10	16	8	17	20	21	162	
1950	9	22	12	24	12	12	20	24	22	18	18	20	213	
1951	19	18	19	19	11	10	11	25	15	6	21	20	194	
1952	16	7	15	15	15	12	9	14	15	20	16	16	170	
1953	8	9	5	14	11	10	22	14	13	13	15	15	149	
Mean	1904-53	16	15	15	15	14	13	16	16	14	17	16	18	185

Table 7 — Rainfall at Trinity College, Dublin for the Years 1904-1953: Number of Wet Days
(1.0 mm or more)

Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1904	11	16	14	9	8	7	6	11	10	3	6	10	111
1905	10	5	17	15	4	7	9	16	9	7	16	8	123
1906	15	11	7	9	14	12	9	9	6	12	11	12	127
1907	5	8	10	13	14	13	12	16	3	22	9	11	136
1908	10	8	16	9	9	8	10	13	13	8	11	9	124
1909	7	5	13	15	7	7	16	7	10	12	5	15	119
1910	13	18	6	12	16	14	11	12	6	9	13	19	149
1911	5	9	10	9	5	8	7	9	7	16	17	17	119
1912	12	10	17	5	8	20	14	16	3	11	8	14	138
1913	18	5	15	14	10	10	7	6	9	12	11	7	124
1914	9	15	14	7	9	5	10	10	(5)	7	18	16	125
1915	13	16	5	11	6	7	17	13	8	8	14	5	18
1916	9	20	12	(14)	(16)	14	9	8	9	20	12	15	158
1917	9	4	12	8	10	6	7	23	9	14	10	9	121
1918	8	11	7	8	9	8	16	9	18	15	9	13	131
1919	16	9	15	7	8	8	4	10	12	8	16	14	127
1920	16	11	10	20	14	10	20	9	7	14	11	12	154
1921	13	4	12	5	11	2	10	16	6	11	11	10	111
1922	14	12	9	11	5	6	11	15	11	10	2	11	117
1923	9	19	10	13	11	8	10	18	12	12	11	9	142
1924	15	4	5	11	18	12	15	17	15	14	10	17	153
1925	12	19	7	12	24	1	12	9	12	11	10	10	139
1926	17	11	5	9	15	9	10	13	6	15	16	4	130
1927	12	10	14	11	6	15	11	19	16	11	12	10	147
1928	15	13	17	8	6	15	8	15	5	14	15	15	146
1929	7	12	2	6	7	8	10	13	2	12	19	20	118
1930	14	7	14	10	7	9	15	20	17	16	12	12	153
1931	12	11	7	10	16	15	14	10	8	6	16	5	130
1932	10	1	7	13	17	3	17	4	11	12	8	10	113
1933	8	10	11	7	12	9	10	5	6	9	8	6	101
1934	11	0	11	12	9	10	9	15	14	11	9	17	128
1935	9	11	4	13	7	15	5	7	17	13	13	13	127
1936	16	11	11	9	7	11	19	5	12	10	11	13	135
1937	13	14	14	11	8	8	13	9	9	7	9	11	126
1938	15	4	3	1	9	14	13	8	8	17	11	13	116
1939	16	9	13	8	3	11	11	6	7	15	20	9	128
1940	7	10	8	16	5	7	20	5	12	12	14	12	128
1941	16	16	13	10	9	5	9	16	6	8	14	8	130
1942	18	4	12	8	13	1	8	12	11	11	3	15	116
1943	13	6	4	8	10	16	8	12	11	11	14	8	121
1944	15	9	3	10	7	8	11	11	13	15	16	12	130
1945	8	13	3	4	10	15	10	6	10	6	4	12	101
1946	10	9	7	8	11	18	12	15	16	7	12	14	139
1947	17	12	17	13	14	13	12	1	9	6	14	10	138
1948	20	10	6	10	11	12	10	12	11	6	11	15	134
1949	7	6	7	10	9	5	8	14	5	9	13	15	108
1950	4	16	6	18	9	9	13	17	18	13	13	11	147
1951	12	13	16	9	9	8	10	17	11	5	14	16	140
1952	12	3	7	11	10	8	4	12	10	15	12	12	116
1953	4	6	3	11	8	8	19	14	7	8	8	8	104
Mean 1904-53	12	10	10	10	10	10	11	12	10	11	11	12	129

Table 8 — Rainfall at Trinity College, Dublin
 Monthly Totals (mm) in Ascending Order with Corresponding Rainfall Data
January

Total	Percentage of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	o·2 mm or more	1·0 mm or more	
10·4	19	4·6	1	6	5	1907
13·1	24	5·0	30	8	4	1953
14·5	26	4·3	5	7	5	1911
14·5	26	5·9	29	9	4	1950
24·4	44	4·2	31	11	9	1914
26·7	48	7·3	28	11	7	1929
26·8	48	6·2	18	14	8	1945
30·0	54	7·1	25	11	9	1935
30·2	55	6·0	13	18	9	1917
30·7	55	6·1	18	11	7	1909
31·8	57	6·0	6	13	9	1916
33·7	61	7·6	14	12	8	1933
33·9	61	6·8	30	18	12	1931
37·6	68	8·6	18	15	8	1918
40·8	74	7·6	2	16	9	1923
40·8	74	15·0	13	17	11	1934
44·2	80	13·0	16	14	10	1905
47·8	86	16·5	6	14	10	1908
48·5	88	6·5	17	24	15	1928
48·8	88	22·6	3	9	7	1949
50·5	91	9·9	25	17	12	1927
52·4	95	10·4	5	14	10	1932
53·6	97	8·6	15	14	13	1915
54·3	98	8·9	25	18	14	1922
57·0	103	11·3	1	22	13	1921
57·0	103	10·0	4	15	12	1925
57·2	103	12·4	29	14	10	1946
58·1	105	23·6	27	10	7	1940
59·3	107	13·5	22	16	12	1952
61·9	112	8·3	8	23	16	1919
62·2	112	14·5	3	16	11	1904
64·7	117	9·3	31	20	15	1938
70·5	127	15·0	9	19	12	1951
72·1	130	22·6	28	17	13	1910
72·2	130	9·3	19	22	18	1942
78·3	141	19·9	9	20	15	1944
81·5	147	19·1	6	17	12	1912
84·3	152	28·5	31	20	14	1930
85·2	154	21·1	12	24	15	1924
86·6	156	14·5	17	21	16	1939
86·7	156	20·4	19	19	16	1936
89·3	161	13·3	5	22	17	1947
98·3	177	14·0	17	21	15	1906
100·3	181	27·6	28	24	17	1926
100·7	182	15·8	21	19	13	1937
104·0	188	17·4	9	21	16	1920
108·8	196	14·5	15	17	16	1941
109·3	197	20·5	11	20	13	1943
135·9	245	36·6	10	20	18	1913
163·2	295	32·2	3	24	20	1948

Total	Percentage of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	o·2 mm or more	1·0 mm or more	
0·9	2	0·2	2	4	0	1934
4·4	10	2·9	9	5	1	1932
11·4	26	3·8	26	10	4	1938
13·2	30	3·3	24	10	5	1913
14·5	33	6·4	28	6	5	1909
16·8	38	7·1	24	7	4	1921
17·5	39	4·3	25	13	5	1905
17·6	40	11·3	10	7	3	1952
19·4	44	10·2	8	12	4	1924
22·1	50	9·0	27	10	4	1942
22·4	50	4·9	11	10	6	1949
22·6	51	4·9	18	13	9	1911
22·7	51	6·4	8	13	6	1943
25·3	57	7·6	4	9	7	1930
27·4	62	7·9	26	14	9	1944
30·0	67	9·4	11	12	8	1907
31·4	71	4·2	3	16	12	1922
32·3	73	9·7	14	15	8	1908
33·0	74	5·2	11	17	11	1931
34·1	77	6·7	1	15	10	1948
37·0	83	6·6	21	16	9	1919
37·0	83	8·4	22	17	13	1945
39·1	88	8·1	22	18	11	1906
39·9	90	22·7	19	11	4	1917
40·9	92	17·1	9	.6	.6	1953
42·6	96	6·5	5	20	11	1926
42·9	96	6·3	10	20	11	1918
43·8	98	7·8	3	14	11	1920
46·5	104	9·5	17	16	11	1926
48·0	108	10·0	5	18	12	1929
54·6	123	14·1	18	14	10	1912
55·6	125	28·9	22	16	9	1939
59·4	133	12·6	21	15	15	1914
59·4	133	13·7	28	13	10	1927
59·8	134	11·4	10	13	13	1928
65·5	147	10·1	17	19	16	1941
67·7	152	19·2	2	18	13	1951
72·5	163	24·8	2	14	12	1947
76·9	173	18·8	7	13	9	1946
77·5	174	14·4	7	21	14	1937
78·7	177	11·9	5	18	16	1915
81·8	184	11·2	3	18	16	1904
83·5	188	11·5	29	25	20	1916
85·7	193	17·6	24	17	11	1935
85·7	193	34·5	24	19	10	1940
89·9	202	31·7	16	16	18	1910
90·2	203	20·1	18	23	19	1925
102·6	231	14·2	22	23	19	1950
105·0	236	23·9	9	22	16	1950
141·0	317	20·5	10	24	19	1923

Table 8 — Rainfall at Trinity College, Dublin
 Monthly Totals (mm) in Ascending Order with Corresponding Rainfall Data
March

Total	Percentage of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
5·9	13	3·2	20	4	2	1929
9·0	19	4·8	31	5	3	1953
9·3	20	3·3	14	7	3	1944
12·9	28	4·6	4	7	5	1924
13·1	28	3·9	1	7	4	1935
13·6	29	4·6	19	7	3	1945
15·1	32	3·7	20	12	7	1925
16·4	35	6·1	3	11	4	1943
17·7	38	6·9	20	8	3	1938
19·8	42	8·1	1	11	6	1910
20·6	44	8·2	3	15	5	1926
23·7	51	10·9	18	12	6	1950
24·8	53	5·1	4	13	9	1922
25·0	54	4·5	27	11	7	1918
26·2	56	8·2	15	15	7	1952
26·7	57	14·2	22	7	5	1915
27·0	58	3·5	1	15	10	1923
29·1	62	7·2	7	12	7	1932
31·2	67	7·5	12	11	7	1946
31·5	67	5·8	12	15	8	1940
33·0	71	5·8	31	11	10	1911
35·1	75	12·2	10	16	7	1906
36·0	77	8·4	28	12	7	1931
37·3	80	17·8	29	12	6	1948
38·8	83	11·6	26	15	11	1936
42·2	90	12·9	19	13	11	1933
46·7	100	14·8	4	12	7	1949
47·0	101	18·0	19	16	10	1907
48·2	103	10·2	1	17	10	1920
49·5	106	5·0	15	19	14	1914
50·6	108	11·6	14	20	12	1921
53·4	114	13·5	8	20	13	1939
53·6	115	12·7	7	18	14	1904
54·4	116	7·4	2	20	15	1913
54·5	117	9·6	18	19	15	1919
60·0	128	14·4	14	18	11	1934
61·1	131	13·1	4	19	12	1942
64·0	137	10·2	20	21	17	1912
66·0	141	11·2	28	17	13	1909
70·4	151	17·8	5	20	16	1908
71·2	152	24·7	4	22	12	1917
71·4	153	20·8	23	20	17	1905
73·9	158	15·2	31	20	14	1927
80·9	173	16·9	19	23	12	1916
83·8	179	16·2	18	21	14	1930
87·9	188	19·8	7	19	16	1951
93·6	200	39·3	31	19	13	1941
101·6	218	18·6	23	22	17	1928
112·1	240	24·8	11	21	14	1937
136·1	291	31·1	16	20	17	1947

Total	Percentage of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
1·4	3	1·4	2	1	1	1938
19·3	41	5·1	3	9	7	1914
19·3	41	5·9	17	10	5	1921
20·0	43	4·1	17	11	8	1917
22·9	49	5·3	26	15	7	1919
24·5	52	4·4	4	11	8	1942
24·6	52	5·5	3	14	10	1930
25·6	54	5·7	24	14	8	1943
26·1	56	5·8	8	19	9	1951
27·3	58	12·0	23	9	7	1933
27·3	58	4·6	24	13	8	1946
27·9	59	5·2	4	14	11	1927
28·6	61	10·2	13	16	8	1928
28·7	61	4·8	2	16	9	1904
30·0	64	21·2	21	5	5	1912
34·0	72	5·4	30	15	11	1915
35·2	75	7·1	14	19	9	1926
37·9	81	15·4	27	10	6	1929
38·7	82	12·9	1	12	10	1944
39·2	83	18·4	1	12	4	1945
39·9	85	7·3	20	19	13	1935
40·0	85	10·7	3	13	8	1939
41·6	89	18·7	5	14	10	1949
42·2	90	8·8	29	12	11	1924
42·7	91	15·0	29	17	9	1906
44·6	95	9·0	3	14	11	1937
44·8	95	11·4	9	10	8	1918
46·5	99	19·1	18	14	9	1911
47·0	100	20·2	21	15	11	1952
(49·6)	(106)	(9·3)	(19)	(17)	(14)	1916
49·8	106	10·6	21	16	9	1936
50·8	108	11·4	19	17	12	1910
55·4	118	20·8	27	12	9	1908
55·5	118	10·2	28	24	18	1950
55·6	118	12·5	14	19	11	1922
58·8	125	10·0	5	18	12	1925
59·0	126	13·0	30	20	13	1932
59·4	126	13·3	13	18	12	1934
59·9	127	15·5	30	26	15	1905
62·6	133	15·2	17	10	10	1941
65·8	140	8·4	2	20	13	1907
66·3	141	15·9	5	14	11	1953
68·5	142	11·2	9	25	20	1920
67·8	144	20·8	29	17	14	1913
70·4	150	19·5	21	16	10	1948
71·4	152	12·2	22	20	16	1940
75·9	161	22·5	1	18	10	1931
76·8	163	27·8	4	20	13	1923
77·9	166	19·4	21	17	13	1947
99·8	212	4·7	3	21	15	1909

Table 8 — Rainfall at Trinity College, Dublin
Monthly Totals (mm) in Ascending Order with Corresponding Rainfall Data
May

Total	Percentage of Average 1881–1915	Greatest Fall in a Day		Number of Days with	Year
		Amount	Date		
				0.2 mm or more	1.0 mm or more
10.7	22	3.6	6	7	3 1939
15.7	32	5.0	17	13	5 1922
18.1	37	5.9	2	12	6 1927
19.0	39	6.7	21	6	5 1940
22.8	47	9.0	31	9	7 1944
26.4	54	9.8	13	8	5 1911
27.2	56	8.4	19	13	8 1912
28.2	58	11.6	27	7	6 1928
28.4	58	18.0	1	8	4 1905
28.4	58	9.4	17	12	7 1909
28.9	59	13.8	5	9	7 1936
30.7	63	5.6	7	16	9 1908
31.0	63	7.8	5	15	7 1929
31.8	65	9.4	18	11	8 1953
31.9	65	5.8	24	15	9 1949
35.8	73	9.4	19	8	7 1935
37.1	76	15.4	17	10	6 1915
38.4	78	14.7	9	13	8 1937
39.0	80	13.3	17	12	9 1950
39.4	80	11.0	14	12	8 1919
39.6	81	7.5	8	19	11 1921
41.1	84	9.9	22	12	9 1914
41.2	84	11.5	17	12	9 1934
43.6	89	9.3	22	17	11 1923
48.0	98	12.6	4	11	9 1951
49.3	101	24.0	30	11	7 1930
49.3	101	15.0	26	13	11 1946
51.1	104	9.2	26	16	10 1945
55.0	112	10.3	1	10	9 1918
55.1	112	19.4	1	18	15 1926
57.4	117	14.1	30	13	11 1948
58.8	120	17.4	15	18	9 1938
59.7	122	12.6	2	15	10 1952
61.2	125	12.4	19	19	14 1906
61.2	125	12.0	19	18	13 1942
62.7	128	9.1	18	20	16 1910
64.3	131	12.2	18	21	14 1920
64.5	132	20.9	22	13	9 1941
65.3	133	18.8	2	16	12 1933
66.8	136	27.7	31	16	8 1904
67.4	138	16.6	9	22	18 1924
68.2	139	20.5	26	11	10 1917
68.8	140	17.5	5	13	10 1913
76.5	156	27.7	6	18	14 1907
83.6	171	18.0	8	22	17 1932
90.7	185	22.8	9	18	14 1947
92.2	188	25.0	19	21	16 1931
94.1	192	26.4	9	16	10 1943
(95.8)	(196)	(37.1)	(5)	(17)	(16) 1916
132.8	271	16.2	18	26	24 1925

Total	Percentage of Average 1881–1915	Greatest Fall in a Day		Number of Days with	Year
		Amount	Date		
				0.2 mm or more	1.0 mm or more
3.9	8	3.3	14	3	1 1942
4.1	9	1.0	7	6	2 1921
6.0	13	4.7	5	3	1 1925
8.5	18	4.4	27	5	3 1932
15.7	34	4.1	2	10	5 1949
17.4	37	4.2	12	12	6 1922
18.6	40	6.7	5	10	5 1941
19.2	41	4.0	8	12	8 1918
22.2	48	5.0	15	7	7 1940
22.9	49	8.0	20	5	5 1914
24.5	53	7.9	17	9	8 1923
25.1	54	5.2	22	10	8 1951
25.4	55	3.6	15	12	12 1906
25.6	55	9.0	30	14	8 1944
25.8	55	4.2	7	8	8 1952
26.2	56	5.8	10	9	7 1904
26.5	57	5.9	14	10	8 1953
28.1	60	6.6	6	15	8 1937
28.7	62	9.1	18	10	7 1905
28.7	62	6.1	19	10	10 1913
28.7	62	10.2	18	12	9 1950
31.7	68	4.5	24	13	9 1933
33.9	73	6.5	27	16	11 1939
34.5	74	7.9	2	9	8 1908
35.4	76	12.6	25	11	7 1915
37.8	81	7.2	27	14	10 1934
38.2	82	8.5	8	14	8 1929
38.9	84	8.5	16	9	8 1911
42.9	92	14.5	25	11	6 1917
44.9	97	13.7	18	14	9 1930
46.6	100	13.0	12	14	10 1920
48.5	104	13.5	23	8	7 1909
52.6	113	14.3	17	16	9 1926
56.3	121	11.2	17	20	16 1943
57.6	124	14.0	30	18	14 1916
61.0	131	5.7	2	22	20 1912
61.9	133	13.6	30	21	15 1927
62.9	135	16.9	17	20	15 1935
66.7	143	15.8	17	16	12 1924
68.4	147	15.1	1	18	12 1948
69.0	148	35.1	12	14	8 1919
69.3	149	12.7	4	23	13 1907
70.1	151	10.6	28	20	14 1938
73.5	158	21.4	9	21	18 1946
77.0	166	19.8	1	15	11 1936
79.7	171	13.0	29	18	15 1945
83.5	180	16.8	4	20	13 1947
93.2	200	20.4	5	18	15 1931
113.2	243	27.0	13	21	15 1928
150.1	323	32.3	5	14	14 1910

Table 8 — Rainfall at Trinity College, Dublin
Monthly Totals (mm) in Ascending Order with Corresponding Rainfall Data
July

Total	Percentage of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
14·8	24	3·7	13	9	5	1935
15·2	25	3·6	18	10	7	1913
19·8	32	2·5	9	17	9	1905
21·6	35	8·3	7	9	4	1952
24·1	39	6·4	1	12	9	1906
26·2	42	10·7	21	9	4	1919
26·9	43	7·6	15	14	6	1904
28·2	45	6·0	28	9	8	1928
33·5	54	6·5	24	13	9	1941
34·4	55	6·4	9	12	8	1943
34·9	56	7·0	29	11	9	1934
36·0	58	10·4	15	10	8	1949
37·6	61	5·8	14	14	13	1937
41·4	67	16·1	26	15	8	1942
42·1	68	6·7	14	15	10	1933
44·7	72	8·9	20	13	7	1917
45·2	73	9·9	2	18	12	1907
46·1	74	9·8	18	18	11	1939
49·2	79	12·1	1	11	9	1916
49·2	79	12·6	10	11	10	1951
51·2	83	11·0	7	22	11	1922
51·3	83	13·5	7	11	10	1908
53·2	86	7·6	2	16	11	1944
54·4	88	19·9	21	12	10	1929
56·6	91	17·5	17	13	10	1948
57·7	93	16·8	4	17	10	1914
57·7	93	28·4	18	14	10	1926
59·7	96	18·2	6	17	10	1923
61·2	99	14·2	5	16	11	1910
61·6	99	20·9	13	20	13	1950
63·1	102	23·1	26	18	12	1946
66·1	107	37·8	26	14	12	1925
66·5	107	26·1	15	12	10	1945
66·8	108	14·1	15	20	15	1930
67·0	108	8·5	13	22	19	1953
68·4	110	9·2	25	18	16	1918
68·4	110	28·7	20	15	11	1927
68·8	111	17·7	25	16	12	1947
72·4	117	35·3	29	11	7	1911
73·7	119	13·2	31	15	14	1912
82·2	133	17·5	15	22	14	1931
82·6	133	11·9	24	18	16	1909
88·3	142	27·2	3	22	15	1924
95·8	155	44·0	7	17	13	1938
102·2	165	22·1	12	24	20	1940
105·0	169	37·4	27	12	10	1921
105·6	170	41·9	13	25	17	1932
120·7	195	27·5	25	24	20	1920
130·3	210	32·1	17	27	19	1936
133·7	216	28·2	16	20	17	1915

Total	Percentage of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
10·9	15	3·0	18	6	5	1940
15·3	21	5·2	24	11	5	1933
16·2	22	4·0	27	10	6	1945
23·9	32	9·4	9	8	6	1913
24·6	33	10·1	18	11	5	1936
25·4	34	6·6	28	15	9	1911
30·3	41	29·6	1	2	1	1947
30·7	42	9·9	21	12	7	1909
31·2	42	7·0	1	17	9	1925
33·1	45	12·0	13	11	4	1932
34·0	46	8·9	4	12	9	1920
39·9	54	8·6	24	16	9	1906
41·8	57	12·6	2	12	6	1939
50·2	68	11·9	5	13	9	1918
50·9	69	23·1	7	15	8	1938
54·4	74	8·9	14	21	13	1926
55·8	76	7·3	27	19	12	1943
55·8	76	18·4	18	12	11	1944
56·4	77	12·2	29	19	16	1907
56·5	77	7·1	25	24	16	1941
57·0	77	22·8	26	11	7	1935
59·1	80	15·8	19	20	15	1928
59·5	81	9·6	1	15	13	1915
60·4	82	13·6	5	21	16	1921
60·8	82	16·0	25	16	10	1919
62·7	85	14·9	28	14	14	1953
67·3	91	22·4	7	16	14	1949
68·6	93	13·4	27	16	8	1916
74·2	101	23·1	30	17	11	1904
77·3	105	19·6	1	19	15	1934
78·7	107	20·2	7	11	10	1931
79·0	107	25·9	14	16	10	1914
79·6	108	8·8	2	22	17	1924
81·0	110	29·9	13	12	9	1937
81·5	111	28·3	6	16	12	1948
81·8	111	40·9	20	14	13	1908
82·6	112	26·9	1	22	12	1910
84·1	114	22·4	24	17	12	1942
86·9	118	19·0	23	25	17	1951
92·7	126	24·9	3	21	13	1929
102·7	139	21·7	29	21	18	1923
104·4	142	42·7	30	18	15	1922
107·4	146	23·9	7	14	12	1952
120·4	163	26·4	18	23	20	1930
123·4	167	35·8	4	23	16	1912
133·2	181	22·9	25	24	17	1950
136·9	186	35·8	12	23	15	1946
165·6	225	83·8	25	20	16	1905
174·6	237	31·6	15	21	19	1927
186·5	253	30·3	27	26	23	1917

Table 8 — Rainfall at Trinity College, Dublin
 Monthly Totals (mm) in Ascending Order with Corresponding Rainfall Data
September

Total	Per-cent-age of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
8.2	17	4.0	28	7	2	1929
11.4	24	5.6	3	6	3	1907
12.4	26	6.9	29	5	3	1912
14.3	30	3.2	26	8	6	1941
15.2	32	3.3	10	10	6	1910
19.0	40	5.0	5	12	5	1928
20.3	43	5.1	11	7	6	1906
21.5	46	7.1	22	7	6	1933
22.5	48	5.5	9	14	7	1920
22.9	49	5.0	24	12	8	1915
25.1	53	10.5	25	11	7	1911
26.8	57	8.4	22	8	5	1949
(28.9)	(61)	(11.7)	(16)	(10)	(5)	1914
29.2	62	6.6	24	13	9	1905
31.0	66	10.7	28	14	8	1938
31.4	67	6.9	19	13	7	1953
33.0	70	14.7	12	6	6	1921
36.5	77	7.0	30	17	9	1937
37.2	79	11.3	8	12	6	1926
41.0	87	11.0	17	15	9	1917
41.7	88	9.9	16	15	9	1947
45.2	96	8.5	17	19	12	1923
46.7	99	18.3	27	14	10	1909
47.4	100	11.1	16	15	12	1940
49.3	104	10.2	3	15	11	1951
49.8	106	11.8	22	16	12	1919
51.9	110	18.3	15	14	10	1945
53.0	112	16.0	2	12	9	1916
55.6	118	15.1	17	20	12	1925
56.1	119	11.9	8	15	13	1908
56.2	119	22.0	16	18	11	1943
56.3	119	13.4	2	14	11	1932
57.2	121	27.7	12	16	10	1904
60.1	127	15.0	1	20	11	1948
61.8	131	11.2	18	15	11	1922
65.0	138	13.7	6	15	12	1936
65.0	138	29.4	28	15	10	1952
68.4	145	17.5	16	20	14	1934
82.9	176	12.2	10	20	16	1927
85.4	181	39.0	2	12	7	1939
89.0	189	13.0	1	19	17	1935
92.6	196	19.3	6	22	18	1950
98.4	208	24.4	28	18	11	1942
108.2	229	40.6	19	10	9	1913
113.5	240	30.5	19	22	16	1946
116.5	247	31.9	15	22	18	1918
116.5	247	18.0	5	18	13	1944
125.1	265	74.2	3	12	8	1931
135.6	287	38.0	7	19	15	1924
165.1	350	36.7	19	20	17	1930

Total	Per-cent-age of Average 1881-1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
10.7	17	5.1	16	7	3	1904
10.7	17	5.1	27	6	5	1951
15.6	24	3.2	9	9	6	1931
18.8	29	7.5	21	9	6	1947
21.3	33	3.2	11	15	10	1922
23.6	37	5.9	13	12	6	1948
26.2	41	7.5	2	11	7	1905
28.7	45	5.3	20	10	8	1908
31.2	49	13.1	31	9	7	1914
33.7	53	11.5	30	12	10	1936
35.0	55	11.9	26	13	8	1953
38.2	60	12.9	23	11	6	1945
38.4	60	6.0	23	20	11	1942
40.4	63	10.2	26	11	11	1912
43.6	68	7.4	30	18	14	1924
44.3	69	13.8	24	16	11	1934
47.0	74	10.4	22	17	11	1921
49.9	78	15.0	17	14	8	1941
51.2	80	14.8	26	21	12	1923
52.1	82	28.4	2	14	9	1910
52.8	83	14.9	19	9	7	1916
54.4	85	25.6	23	14	8	1919
54.6	86	10.3	31	20	15	1918
55.6	87	18.0	19	15	9	1933
56.6	89	15.2	21	12	12	1932
59.1	93	18.7	7	21	12	1929
60.7	95	18.6	10	20	14	1928
60.9	95	14.7	9	19	13	1935
62.5	98	23.1	19	22	11	1925
62.7	98	12.7	23	23	12	1909
63.2	99	15.1	3	23	14	1917
67.2	105	17.9	31	16	11	1943
68.4	107	32.6	21	14	11	1927
70.3	110	14.5	10	21	15	1944
72.4	113	24.0	21	18	13	1950
74.3	116	12.6	12	20	15	1926
80.2	126	25.3	25	17	9	1949
80.8	127	13.0	11	20	12	1906
84.4	132	17.1	13	20	15	1952
87.5	137	22.2	4	21	15	1939
90.1	141	20.1	17	24	16	1930
91.4	143	22.1	7	16	12	1913
92.2	145	19.7	20	18	16	1911
93.0	146	38.3	25	12	7	1937
101.1	158	15.2	17	24	17	1915
107.7	169	21.7	19	18	14	1907
126.2	198	18.5	8	27	22	1940
130.8	205	29.8	9	19	12	1916
146.0	229	18.6	2	24	20	1920
149.4	234	21.7	6	16	14	1920

Table 8 — Rainfall at Trinity College, Dublin
Monthly Totals (mm) in Ascending Order with Corresponding Rainfall Data
November

Total	Percentage of Average 1881–1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
6·6	10	2·3	6	9	2	1922
11·2	17	4·4	10	7	3	1942
11·5	17	2·8	12	9	4	1945
23·5	35	4·9	17	13	8	1933
26·4	40	8·2	24	10	8	1932
28·2	43	9·9	6	9	6	1904
29·5	44	8·6	13	12	11	1908
32·3	49	5·8	12	15	11	1948
33·0	50	17·3	13	10	5	1909
33·8	51	8·9	4	13	8	1912
35·3	53	7·1	7	17	11	1906
37·2	56	10·1	11	18	10	1917
43·8	66	9·3	8	20	13	1949
47·1	71	17·7	13	15	8	1953
47·8	72	12·1	28	21	11	1923
48·5	73	13·5	9	12	9	1934
49·6	75	21·3	22	14	9	1937
49·6	75	9·8	18	18	13	1950
53·6	81	13·7	7	18	11	1913
55·6	84	18·1	23	15	12	1930
56·6	85	18·0	26	13	10	1924
57·0	86	13·4	17	15	12	1927
58·1	88	25·2	27	14	11	1920
60·0	90	30·3	1	12	9	1918
61·1	92	12·3	1	18	11	1921
61·2	92	23·0	11	18	11	1936
62·0	94	8·7	11	22	14	1947
63·0	95	13·2	26	13	9	1907
66·5	100	15·5	22	14	13	1910
67·0	101	22·3	2	19	14	1943
68·0	103	27·4	12	16	11	1938
68·9	104	12·6	15	23	16	1919
70·9	107	14·7	12	19	17	1911
77·2	116	14·1	28	16	12	1946
78·0	118	7·4	11	19	18	1914
78·0	118	15·9	20	16	12	1952
78·7	119	26·5	6	16	10	1925
79·0	119	11·4	20	23	14	1941
81·4	123	18·4	2	20	15	1928
83·6	126	19·6	5	18	14	1940
85·3	129	23·0	20	15	13	1935
86·5	130	14·7	4	23	20	1939
88·8	134	17·0	18	26	16	1926
92·7	140	17·8	1	19	16	1905
100·2	151	51·4	12	8	5	1915
104·4	157	16·9	3	21	16	1931
114·6	173	37·4	4	21	14	1951
115·0	173	20·0	18	20	16	1944
118·5	179	19·7	15	26	19	1929
142·6	215	39·4	17	17	12	1916

Total	Percentage of Average 1881–1915	Greatest Fall in a Day		Number of Days with		Year
		Amount	Date	0·2 mm or more	1·0 mm or more	
20·0	34	8·3	4	10	4	1926
21·3	36	6·6	2	13	5	1931
27·4	46	5·8	18	13	8	1905
31·7	53	11·7	3	15	8	1953
33·8	56	17·4	27	11	8	1941
34·9	58	7·7	20	14	8	1943
36·1	60	9·9	9	16	10	1904
37·1	62	7·7	24	18	13	1935
37·4	63	14·1	27	14	6	1933
38·9	65	14·7	28	13	9	1908
40·5	68	6·4	29	20	9	1923
41·9	70	8·3	13	18	11	1922
43·1	72	11·6	1	20	11	1937
43·8	73	14·6	13	14	9	1939
45·2	76	9·9	15	17	12	1906
45·2	76	13·2	3	11	7	1913
45·2	76	8·0	31	18	12	1940
45·7	77	12·0	25	20	10	1925
46·6	78	12·5	16	16	12	1944
46·7	78	12·7	29	17	12	1920
50·7	85	24·5	26	20	11	1950
51·6	86	13·5	19	17	11	1907
51·8	87	10·7	25	20	14	1912
54·2	91	12·3	6	16	12	1952
58·0	97	14·2	11	17	13	1936
58·5	98	22·5	27	15	10	1921
60·8	102	11·8	15	22	13	1918
60·9	102	20·0	21	15	10	1927
61·4	103	10·0	12	21	15	1949
62·3	104	16·1	16	17	9	1917
62·7	105	20·3	10	16	12	1930
64·7	108	11·2	15	19	15	1928
69·3	116	11·3	12	24	15	1916
70·8	119	16·2	10	19	14	1946
74·7	125	15·3	15	19	15	1942
77·0	129	18·7	6	15	12	1945
80·7	135	17·4	10	17	13	1938
86·0	144	12·9	8	20	16	1951
90·4	151	14·6	14	26	14	1919
93·3	156	25·6	18	21	10	1932
94·0	157	19·1	14	24	17	1911
95·3	160	24·9	4	14	10	1947
106·7	179	25·1	5	20	15	1909
111·7	187	22·0	26	19	15	1948
114·3	191	13·0	3	25	18	1915
116·3	195	16·0	2	22	17	1924
118·1	198	26·2	4	26	17	1934
133·6	224	20·8	1	25	19	1910
147·3	247	18·8	20	26	20	1929
151·4	254	28·2	11	19	16	1914

Table 9.—Rainfall at Trinity College, Dublin
 Number of Rain Days (0·2 mm or more) in Ascending Order with Corresponding Rainfall Data
January

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
6	mm	mm			
6	10·4	4·6	1	5	1907
7	14·5	4·3	5	5	1911
8	13·1	5·0	30	4	1953
9	48·8	22·6	3	7	1949
9	14·5	5·9	29	4	1950
10	58·1	23·6	27	7	1940
11	30·7	6·1	18	7	1909
11	24·4	4·2	31	9	1914
11	26·7	7·3	28	7	1929
11	30·0	7·1	25	9	1935
12	33·7	7·6	14	8	1933
13	31·8	6·0	6	9	1916
14	44·2	13·0	16	10	1905
14	47·8	16·5	6	10	1908
14	53·6	8·6	15	13	1915
14	52·4	10·4	5	10	1932
14	26·8	6·2	18	8	1945
14	57·2	12·4	29	10	1946
15	37·6	8·6	18	8	1918
15	40·8	7·6	2	9	1923
15	57·0	10·0	4	12	1925
16	62·2	14·5	3	11	1904
16	59·3	13·5	22	12	1952
17	72·1	22·6	28	13	1910
17	81·5	19·1	6	12	1912
17	50·5	9·9	25	12	1927
17	40·8	15·0	13	11	1934
17	108·8	14·5	15	16	1941
18	30·2	6·0	13	9	1917
18	54·3	8·9	25	14	1922
18	33·9	6·8	30	12	1931
19	86·7	20·4	19	16	1936
19	100·7	15·8	21	13	1937
19	79·5	15·0	9	12	1951
20	135·9	36·6	10	18	1913
20	84·3	28·5	31	14	1930
20	64·7	9·3	31	15	1938
20	109·3	20·5	11	13	1943
20	78·3	19·9	9	15	1944
21	98·3	14·0	17	15	1906
21	104·0	17·4	9	16	1920
21	86·6	14·5	17	16	1939
22	57·0	11·3	1	13	1921
22	72·2	9·3	19	18	1942
22	89·3	13·3	5	17	1947
23	61·9	8·3	8	16	1919
24	85·2	21·1	12	15	1924
24	100·3	27·6	28	17	1926
24	48·5	6·5	17	15	1928
24	163·2	32·2	3	20	1948

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
4	mm	mm			
5	0·9	0·2	2	/	0 1934
5	4·4	2·9	9	/	1 1932
6	14·5	6·4	28	/	5 1909
7	16·8	7·1	24	/	4 1921
7	17·6	11·3	10	/	3 1952
9	25·3	7·6	4	/	7 1930
9	40·9	17·1	9	/	6 1953
10	13·2	3·3	24	/	5 1913
10	11·4	3·8	26	/	4 1938
10	22·1	9·0	27	/	4 1942
10	22·4	4·9	11	/	6 1949
11	39·9	22·7	19	/	4 1917
12	30·0	9·4	11	/	8 1907
12	19·4	10·2	8	/	4 1924
13	17·5	4·3	25	/	5 1905
13	22·6	4·9	18	/	9 1911
13	59·4	13·7	28	/	10 1927
13	59·8	11·4	10	/	13 1928
13	22·7	6·4	8	/	6 1943
13	76·9	18·8	7	/	9 1946
14	54·6	14·1	18	/	10 1912
14	43·8	7·8	3	/	11 1920
14	27·4	7·9	26	/	9 1944
14	72·5	24·8	2	/	12 1947
15	32·3	9·7	14	/	8 1908
15	59·4	12·6	21	/	15 1914
15	34·1	6·7	1	/	10 1948
16	37·0	6·6	21	/	9 1919
16	31·4	4·2	3	/	12 1922
16	46·5	9·5	17	/	11 1936
16	55·6	28·9	22	/	9 1939
16	89·9	31·7	16	/	10 1940
17	33·0	5·2	11	/	11 1931
17	85·7	17·6	24	/	10 1933
17	37·0	8·4	22	/	13 1945
18	81·8	11·2	3	/	16 1904
18	39·1	8·1	22	/	11 1906
18	78·7	11·9	5	/	16 1915
18	48·0	10·0	5	/	12 1929
18	67·7	19·2	2	/	13 1951
19	85·7	34·5	24	/	11 1935
19	65·5	10·1	17	/	16 1941
20	42·9	6·3	10	/	11 1918
20	42·6	6·5	5	/	11 1926
21	77·5	14·4	7	/	14 1937
22	105·0	23·9	9	/	16 1950
23	90·2	20·1	18	/	18 1910
23	102·6	14·2	22	/	19 1925
24	141·0	20·5	10	/	19 1923
25	83·5	11·5	29	/	20 1916

Table 9 — Rainfall at Trinity College, Dublin
 Number of Rain Days (0·2 mm or more) in Ascending Order with Corresponding Rainfall Data
March

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
4	mm	mm			
4	5·9	3·2	20	2	1929
5	9·0	4·8	31	3	1953
7	26·7	14·2	22	5	1915
7	12·9	4·6	4	5	1924
7	13·1	3·9	1	4	1935
7	9·3	3·3	14	3	1944
7	13·6	4·6	19	3	1945
8	17·7	6·9	20	3	1938
11	19·8	8·1	1	6	1910
11	33·0	5·8	31	10	1911
11	25·0	4·5	27	7	1918
11	16·4	6·1	3	4	1943
11	31·2	7·5	12	7	1946
12	15·1	3·7	20	7	1925
12	36·0	8·4	28	7	1931
12	29·1	7·2	7	7	1932
12	37·3	17·8	29	6	1948
12	46·7	14·8	4	7	1949
12	23·7	10·9	18	6	1950
13	24·8	5·1	4	9	1922
13	42·2	12·9	19	11	1933
15	27·0	3·5	1	10	1923
15	20·6	8·2	3	5	1926
15	38·8	11·6	26	11	1936
15	31·5	5·8	12	8	1940
15	26·2	8·2	15	7	1952
16	35·1	12·2	10	7	1906
16	47·0	18·0	19	10	1907
17	66·0	11·2	28	13	1909
17	48·2	10·2	1	10	1920
18	53·6	12·7	7	14	1904
18	60·0	14·4	14	11	1934
19	49·5	5·0	15	14	1914
19	54·5	9·6	18	15	1919
19	93·6	39·3	31	13	1941
19	61·1	13·1	4	12	1942
19	87·9	19·8	7	16	1951
20	71·4	20·8	23	17	1905
20	70·4	17·8	5	16	1908
20	54·4	7·4	2	15	1913
20	50·6	11·6	14	12	1921
20	73·9	15·2	31	14	1927
20	53·4	13·5	8	13	1939
20	136·1	31·1	16	17	1947
21	64·0	10·2	20	17	1912
21	83·8	16·2	18	14	1930
21	112·1	24·8	11	14	1937
22	71·2	24·7	4	12	1917
22	101·6	18·6	23	17	1928
23	80·9	16·9	19	12	1916

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
1	mm	mm			
5	1	1·4	1·4	2	1938
5	30·0	21·2	21	5	1912
9	19·3	5·1	3	7	1914
9	27·3	12·0	23	7	1933
10	44·8	11·4	9	8	1918
10	19·3	5·9	17	5	1921
10	37·9	15·4	27	6	1929
10	62·6	15·2	17	10	1941
11	20·0	4·1	17	8	1917
11	24·5	4·4	4	8	1942
12	55·4	20·8	27	9	1908
12	42·2	8·8	29	11	1924
12	38·7	12·9	1	10	1944
12	39·2	18·4	1	4	1945
13	40·0	10·7	3	8	1939
13	27·3	4·6	24	8	1946
14	46·5	19·1	18	9	1911
14	27·9	5·2	4	11	1927
14	24·6	5·5	3	10	1930
14	44·6	9·0	3	11	1937
14	25·6	5·7	24	8	1943
14	41·6	18·7	5	10	1949
14	66·3	15·9	5	11	1953
15	34·0	5·4	30	11	1915
15	22·9	5·3	26	7	1919
15	47·0	20·2	21	11	1952
16	28·7	4·8	2	9	1904
16	28·6	10·2	13	8	1928
16	49·6	10·6	21	9	1936
16	70·4	19·5	21	10	1948
17	42·7	15·0	29	9	1906
17	50·8	11·4	19	12	1910
17	67·8	20·8	29	14	1913
(17)	(49·6)	(9·3)	(19)	(14)	1916
17	77·9	19·4	21	13	1947
18	58·8	10·0	5	12	1925
18	75·9	22·5	1	10	1931
18	59·4	13·3	13	12	1934
19	55·6	12·5	14	11	1922
19	35·2	7·1	14	9	1926
19	39·9	7·3	20	13	1935
19	26·1	5·8	8	9	1951
20	65·8	8·4	2	13	1907
20	76·8	27·8	4	13	1923
20	59·0	13·0	30	13	1932
20	71·4	12·2	22	16	1940
21	99·8	41·7	3	15	1909
24	55·5	10·2	28	18	1950
25	66·5	11·2	9	20	1920
26	59·9	15·5	30	15	1905

Table 9 — Rainfall at Trinity College, Dublin
 Number of Rain Days (0·2 mm or more) in Ascending Order with Corresponding Rainfall Data
May

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
6	mm	mm			
6	19·0	6·7	21	5	1940
7	28·2	11·6	27	6	1928
7	10·7	3·6	6	3	1939
8	28·4	18·0	1	4	1905
8	26·4	9·8	13	5	1911
8	35·8	9·4	19	7	1935
9	28·9	13·8	5	7	1936
9	22·8	9·0	31	7	1944
10	37·1	15·4	17	6	1915
10	55·0	10·3	1	9	1918
11	68·2	20·5	26	10	1917
11	49·3	24·0	30	7	1930
11	48·0	12·6	4	9	1951
11	31·8	9·4	18	8	1953
12	28·4	9·4	17	7	1909
12	41·1	9·9	22	9	1914
12	39·4	11·0	14	8	1919
12	18·1	5·9	2	6	1927
12	41·2	11·5	17	9	1934
12	39·0	13·3	17	9	1950
13	27·2	8·4	19	8	1912
13	68·8	17·5	5	10	1913
13	15·7	5·0	17	5	1922
13	38·4	14·7	9	8	1937
13	64·5	20·9	22	9	1941
13	49·3	15·0	26	11	1946
13	57·4	14·1	30	11	1948
15	31·0	7·8	5	7	1929
15	31·9	5·8	24	9	1949
15	59·7	12·6	2	10	1952
16	66·8	27·7	31	8	1904
16	30·7	5·6	7	9	1908
16	65·3	18·8	2	12	1933
16	94·1	26·4	9	10	1943
16	51·1	9·2	26	10	1945
(17)	(95·8)	(37·1)	(5)	(16)	1916
17	43·6	9·3	22	11	1923
18	76·5	27·7	6	14	1907
18	55·1	19·4	1	15	1926
18	58·8	17·4	15	9	1938
18	61·2	12·0	19	13	1942
18	90·7	22·8	9	14	1947
19	61·2	12·4	19	14	1906
19	39·6	7·5	8	11	1921
20	62·7	9·1	18	16	1910
21	64·3	12·2	18	14	1920
21	92·2	25·9	19	16	1931
22	67·4	16·6	9	18	1924
22	83·6	18·0	8	17	1932
26	132·8	16·2	18	24	1925

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
3	mm	mm			
3	6·0	4·7	5	1	1925
3	3·9	3·3	14	1	1942
5	22·9	8·0	20	5	1914
5	8·5	4·4	27	3	1932
6	4·1	1·0	7	2	1921
7	22·2	5·0	15	7	1940
8	48·5	13·5	23	7	1909
9	26·2	5·8	10	7	1904
9	34·5	7·9	2	8	1908
9	38·9	8·5	16	8	1911
9	24·5	7·9	17	8	1923
10	28·7	9·1	18	7	1905
10	28·7	5·1	19	10	1913
10	18·6	6·7	5	5	1941
10	15·7	4·1	2	5	1949
10	25·1	5·2	22	8	1951
10	26·5	5·9	14	8	1953
11	35·4	12·6	25	7	1915
11	42·9	14·5	25	6	1917
12	25·4	3·6	15	12	1906
12	19·2	4·0	8	8	1918
12	17·4	4·2	12	6	1922
12	28·7	10·2	18	9	1950
12	25·8	4·2	7	8	1952
13	31·7	4·5	24	9	1933
14	150·1	32·3	5	14	1910
14	69·0	35·1	12	8	1919
14	46·6	13·0	12	10	1920
14	38·2	8·5	8	8	1929
14	44·9	13·7	18	9	1934
14	37·8	7·2	27	8	1944
14	25·6	9·0	30	8	1936
15	77·0	19·8	1	11	1937
15	28·1	6·6	6	8	1924
16	66·7	15·8	17	12	1926
16	52·6	14·3	17	9	1939
16	33·9	6·5	27	11	1916
18	57·6	14·0	30	14	1931
18	93·2	20·4	5	15	1945
18	79·7	13·0	29	15	1948
18	68·4	15·1	1	12	1948
20	62·9	16·9	17	15	1935
20	70·1	10·6	28	14	1938
20	56·3	11·2	17	13	1947
20	83·5	16·8	4	15	1927
21	61·9	13·6	30	15	1928
21	113·2	27·0	13	18	1946
21	73·5	21·4	9	20	1912
22	61·0	5·7	2	13	1907
23	69·3	12·7	4	13	

Table 9 — Rainfall at Trinity College, Dublin
Number of Rain Days (0·2 mm or more) in Ascending Order with Corresponding Rainfall Data

July

August

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
9	mm	mm			
9	26·2	10·7	21	4	1919
9	28·2	6·0	28	8	1928
9	14·8	3·7	13	5	1935
9	21·6	8·3	7	4	1952
10	15·2	3·6	18	7	1913
10	36·0	10·4	15	8	1949
11	51·3	13·5	7	10	1908
11	72·4	35·3	29	7	1911
11	49·2	12·1	1	9	1916
11	34·9	7·0	29	9	1934
11	49·2	12·6	10	10	1951
12	24·1	6·4	1	9	1906
12	105·0	37·4	27	10	1921
12	54·4	19·9	21	10	1929
12	34·4	6·4	9	8	1943
12	66·5	26·1	15	10	1945
13	44·7	8·9	20	7	1917
13	33·5	6·5	24	9	1941
13	56·6	17·5	17	10	1948
14	26·9	7·6	15	6	1904
14	66·1	37·8	26	12	1925
14	57·7	28·4	18	10	1926
14	37·6	5·8	14	13	1937
15	73·7	13·2	31	14	1912
15	68·4	28·7	20	11	1927
15	42·1	6·7	14	10	1933
15	41·4	16·1	26	8	1942
16	61·2	14·2	5	11	1910
16	53·2	7·6	2	11	1944
16	68·8	17·7	25	12	1947
17	19·8	2·5	9	9	1905
17	57·7	16·8	4	10	1914
17	59·7	18·2	6	10	1923
17	95·8	44·0	7	13	1938
18	45·2	9·9	2	12	1907
18	82·6	11·9	24	16	1909
18	68·4	9·2	25	16	1918
18	46·1	9·8	18	11	1939
18	63·1	23·1	26	12	1946
20	133·7	28·2	16	17	1915
20	66·8	14·1	15	15	1930
20	61·6	20·9	13	13	1950
22	51·2	11·0	7	11	1922
22	88·3	27·2	3	15	1924
22	82·2	17·5	15	14	1931
22	67·0	8·5	13	19	1953
24	120·7	27·5	25	20	1920
24	102·2	22·1	12	20	1940
25	105·6	41·9	13	17	1932
27	130·3	32·1	17	19	1936

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1·0 mm or more	Year
		Amount	Date		
2	mm	mm			
6	30·3	29·6	1	1	1947
6	10·9	3·0	18	5	1940
8	23·9	9·4	9	6	1913
10	16·2	4·0	27	6	1945
11	78·7	20·2	7	10	1931
11	33·1	12·0	13	4	1932
11	15·3	5·2	24	5	1933
11	57·0	22·8	26	7	1935
11	24·6	10·1	18	5	1936
12	30·7	9·9	21	7	1909
12	34·0	8·9	4	9	1920
12	81·0	29·9	13	9	1937
12	41·8	12·6	2	6	1939
12	55·8	18·4	18	11	1944
13	50·2	11·9	5	9	1918
14	81·8	40·9	20	13	1908
14	107·4	23·9	7	12	1952
14	62·7	14·9	28	14	1953
15	25·4	6·6	28	9	1911
15	59·5	9·6	1	13	1915
15	50·9	23·1	7	8	1938
16	39·9	8·6	24	9	1906
16	79·0	25·9	14	10	1914
16	68·6	13·4	27	8	1916
16	60·8	16·0	25	10	1919
16	81·5	28·3	6	12	1948
16	67·3	22·4	7	14	1949
17	74·2	23·1	30	11	1904
17	31·2	7·0	1	9	1925
17	84·1	22·4	24	12	1942
18	104·4	42·7	30	15	1922
19	56·4	12·2	29	16	1907
19	77·3	19·6	1	15	1934
19	55·8	7·3	27	12	1943
20	105·6	83·8	25	16	1905
20	59·1	15·8	19	15	1928
21	60·4	13·6	5	16	1921
21	102·7	21·7	29	18	1923
21	54·4	8·9	14	13	1926
21	174·6	31·6	15	19	1927
21	92·7	24·9	3	13	1929
22	82·6	26·9	1	12	1910
22	79·6	8·8	2	17	1924
23	123·4	35·8	4	16	1912
23	120·4	26·4	18	20	1930
23	136·9	35·8	12	15	1946
24	56·5	7·1	25	16	1941
24	133·2	22·9	25	17	1950
25	86·9	19·0	23	17	1951
26	186·5	30·3	27	23	1917

Table 9 — Rainfall at Trinity College, Dublin
 Number of Rain Days (0.2 mm or more) in Ascending Order with Corresponding Rainfall Data
September

Number of Days with 0.2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1.0 mm or more	Year
		Amount	Date		
5	mm	mm			
5	12.4	6.9	29	3	1912
6	11.4	5.6	3	3	1907
6	33.0	14.7	12	6	1921
7	20.3	5.1	11	6	1906
7	8.2	4.0	28	2	1929
7	21.5	7.1	22	6	1933
8	14.3	3.2	26	6	1941
8	26.8	8.4	22	5	1949
10	15.2	3.3	10	6	1910
10	108.2	40.6	19	9	1913
(10)	(28.9)	(11.7)	(16)	(5)	1914
11	25.1	10.5	25	7	1911
12	22.9	5.0	24	8	1915
12	53.0	16.0	2	9	1916
12	37.2	11.3	8	6	1926
12	19.0	5.0	5	5	1928
12	125.1	74.2	3	8	1931
12	85.4	39.9	2	7	1939
13	29.2	6.6	24	9	1905
13	31.4	6.9	19	7	1953
14	46.7	18.3	27	10	1909
14	22.5	5.5	9	7	1920
14	56.3	13.4	2	11	1932
14	31.0	10.7	28	8	1928
14	51.9	18.3	15	10	1945
15	56.1	11.9	8	13	1908
15	41.0	11.0	17	9	1917
15	61.8	11.2	18	11	1922
15	65.0	13.7	6	12	1936
15	47.4	11.1	16	12	1940
15	41.7	9.9	16	9	1947
15	49.3	10.2	3	11	1951
15	65.0	29.4	28	10	1952
16	57.2	27.7	12	10	1904
16	49.8	11.8	22	12	1919
17	36.5	7.0	30	9	1937
18	98.4	24.4	28	11	1942
18	56.2	22.0	16	11	1943
18	116.5	18.0	5	13	1944
19	45.2	8.5	17	12	1923
19	135.6	38.0	7	15	1924
19	89.0	13.0	1	17	1935
20	55.6	15.1	17	12	1925
20	82.9	12.2	10	16	1927
20	165.1	36.7	19	17	1930
20	68.4	17.5	16	14	1934
20	60.1	15.0	1	11	1948
22	116.5	31.0	15	18	1918
22	113.5	30.5	19	16	1946
22	92.6	19.3	6	18	1950

Number of Days with 0.2 mm or more	Total	Greatest Fall in a Day		Number of Days with 1.0 mm or more	Year
		Amount	Date		
6	mm	mm			
6	10.7	5.1	27	5	1951
7	10.7	5.1	16	3	1904
9	31.2	13.1	31	7	1914
9	15.6	3.2	9	6	1931
9	52.8	14.9	19	7	1946
9	18.8	7.5	21	6	1947
10	28.7	5.3	20	8	1908
11	26.2	7.5	2	7	1905
11	40.4	10.2	26	11	1912
11	38.2	12.9	23	6	1945
12	33.7	11.5	30	10	1936
12	93.0	38.3	25	7	1937
12	23.6	5.9	13	6	1948
13	35.0	11.9	26	8	1953
14	52.1	28.4	2	9	1910
14	54.4	25.6	23	8	1919
14	68.4	32.6	21	11	1927
15	49.9	15.0	17	8	1941
15	21.3	3.2	11	10	1922
15	55.6	18.0	19	9	1933
16	91.4	22.1	7	12	1913
16	149.4	21.7	6	14	1920
16	44.3	13.8	24	11	1934
16	67.2	17.9	31	11	1943
17	47.0	10.4	22	11	1921
17	80.2	25.3	25	9	1949
18	92.2	19.7	20	16	1911
18	107.7	21.7	19	14	1915
18	43.6	7.4	30	14	1924
18	72.4	24.0	21	13	1950
19	60.9	14.7	9	13	1935
19	130.8	29.8	9	12	1940
20	80.8	13.0	11	12	1906
20	54.6	10.3	31	15	1918
20	74.3	12.6	12	15	1926
20	60.7	18.6	10	14	1928
20	38.4	6.0	23	11	1942
20	84.4	17.1	13	15	1952
21	51.2	14.8	26	12	1923
21	50.1	18.7	7	12	1929
21	56.6	15.2	21	12	1932
21	87.5	22.2	4	15	1939
21	70.3	14.5	10	15	1944
22	62.5	23.1	19	11	1925
22	62.7	12.7	23	12	1909
22	63.2	15.1	3	14	1917
24	146.0	18.6	2	20	1916
24	90.1	20.1	17	16	1930
24	101.1	15.2	17	17	1938
27	126.2	18.5	8	22	1907

Table 9 — Rainfall at Trinity College, Dublin
 Number of Rain Days (0·2 mm or more) in Ascending Order with Corresponding Rainfall Data
November

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Year
		Amount	Date	
7	mm	mm		
7	11·2	4·4	10	3 1942
8	100·2	51·4	12	5 1975
9	28·2	9·9	6	6 1904
9	6·6	2·3	6	2 1922
9	11·5	2·8	12	4 1945
10	33·0	17·3	13	5 1909
10	26·4	8·2	24	8 1932
12	29·5	8·6	13	11 1908
12	60·0	30·3	1	9 1918
12	48·5	13·5	9	9 1934
13	63·0	13·2	26	9 1907
13	33·8	8·9	4	8 1912
13	56·6	18·0	26	10 1924
13	23·5	4·9	17	8 1933
14	66·5	15·5	22	13 1910
14	58·1	25·2	27	11 1920
14	49·6	21·3	22	9 1937
15	57·0	13·4	17	12 1927
15	55·6	18·1	23	12 1930
15	85·3	23·0	20	13 1935
15	32·3	5·8	12	11 1948
15	47·1	17·7	13	8 1953
16	78·7	26·5	6	10 1925
16	68·0	27·4	12	11 1938
16	77·2	14·1	28	12 1946
16	78·0	15·9	20	12 1952
17	35·3	7·1	7	11 1906
17	142·6	39·4	17	12 1916
18	53·6	13·7	7	11 1913
18	37·2	10·1	11	10 1917
18	61·1	12·3	1	11 1921
18	61·2	23·0	11	11 1936
18	83·6	19·6	5	14 1940
18	49·6	9·8	18	13 1950
19	92·7	17·8	1	16 1905
19	70·9	14·7	12	17 1911
19	78·0	7·4	11	18 1914
19	67·0	22·3	2	14 1943
20	81·4	18·4	2	15 1928
20	115·0	20·0	18	16 1944
20	43·8	9·3	8	13 1949
21	47·8	12·1	28	11 1923
21	104·4	16·9	3	16 1931
21	114·6	37·4	4	14 1951
22	62·0	8·7	11	14 1947
23	68·9	12·6	15	16 1919
23	86·5	14·7	4	20 1939
23	79·0	11·4	20	14 1941
26	88·8	17·0	18	16 1926
26	118·5	19·7	15	19 1929

Number of Days with 0·2 mm or more	Total	Greatest Fall in a Day		Year
		Amount	Date	
10	mm	mm		
10	20·0	8·3	4	4 1926
11	45·2	13·2	3	7 1913
11	33·3	17·4	27	8 1941
13	27·4	5·8	18	8 1905
13	38·9	14·7	28	9 1908
13	21·3	6·6	2	5 1931
14	37·4	14·1	27	6 1933
14	43·8	14·6	13	9 1939
14	34·9	7·7	20	8 1943
14	95·3	24·9	4	10 1947
15	58·5	22·5	27	10 1921
15	66·9	20·0	21	10 1927
15	77·0	18·7	6	12 1945
15	31·7	11·7	3	8 1953
16	36·1	9·9	9	10 1904
16	62·7	20·3	10	12 1930
16	46·6	12·5	16	12 1944
16	54·2	12·3	6	12 1952
17	45·2	9·9	15	12 1906
17	51·6	13·5	19	11 1907
17	62·3	16·1	16	9 1917
17	46·7	12·7	29	12 1920
17	58·0	14·2	11	13 1936
17	80·7	17·4	10	13 1938
18	41·9	8·3	13	11 1922
18	37·1	7·7	24	13 1935
18	45·2	8·0	31	12 1940
19	151·4	28·2	11	16 1914
19	64·7	11·2	15	15 1928
19	74·7	15·3	15	15 1942
19	70·8	16·2	10	14 1946
19	111·7	22·0	26	15 1948
20	106·7	25·1	5	15 1909
20	51·8	10·7	25	14 1912
20	40·5	6·4	29	9 1923
20	45·7	12·0	25	10 1925
20	43·1	11·6	1	11 1937
20	50·7	24·5	26	11 1950
20	86·0	12·9	8	16 1951
21	93·3	25·6	18	10 1932
21	61·4	10·0	12	15 1949
22	60·8	11·8	15	13 1918
22	116·3	16·0	2	17 1924
24	94·0	19·1	14	17 1911
24	69·3	11·3	12	15 1916
25	133·6	20·8	1	19 1910
25	114·3	13·0	3	18 1915
26	90·4	14·6	14	14 1919
26	147·3	18·8	20	20 1929
26	118·1	26·2	4	17 1934

Table 10 — Rainfall at Trinity College, Dublin

Number of Wet Days (1·0 mm or more) in Ascending Order with Corresponding Rainfall Data

January

February

Number of Days with 1·0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0·2 mm or more	Year
		Amount	Date		
4	mm	mm			
4	14·5	5·9	29	9	1950
4	13·1	5·0	30	8	1953
5	10·4	4·6	1	6	1907
5	14·5	4·3	5	7	1911
7	30·7	6·1	18	11	1909
7	26·7	7·3	28	11	1929
7	58·1	23·6	27	10	1940
7	48·8	22·6	3	9	1949
8	37·6	8·6	18	15	1918
8	33·7	7·6	14	12	1933
8	26·8	6·2	18	14	1945
9	24·4	4·2	31	11	1914
9	31·8	6·0	6	13	1916
9	30·2	6·0	13	18	1917
9	40·8	7·6	2	15	1923
9	30·0	7·1	25	11	1935
10	44·2	13·0	16	14	1905
10	47·8	16·5	6	14	1908
10	52·4	10·4	5	14	1932
10	57·2	12·4	29	14	1946
11	62·2	14·5	3	16	1904
11	40·8	15·0	13	17	1934
12	81·5	19·1	6	17	1912
12	57·0	10·0	4	15	1925
12	50·5	9·9	25	17	1927
12	33·9	6·8	30	18	1931
12	70·5	15·0	9	19	1951
12	59·3	13·5	22	16	1952
13	72·1	22·6	28	17	1910
13	53·6	8·6	15	14	1915
13	57·0	11·3	1	22	1921
13	100·7	15·8	21	19	1937
13	109·3	20·5	11	20	1943
14	54·3	8·9	25	18	1922
14	84·3	28·5	31	20	1930
15	98·3	14·0	17	21	1906
15	85·2	21·1	12	24	1924
15	48·5	6·5	17	24	1928
15	64·7	9·3	31	20	1938
15	78·3	19·9	9	20	1944
16	61·9	8·3	8	23	1919
16	104·0	17·4	9	21	1920
16	86·7	20·4	19	19	1936
16	86·6	14·5	17	21	1939
16	108·8	14·5	15	17	1941
17	100·3	27·6	28	24	1926
17	89·3	13·3	5	22	1947
18	135·9	36·6	10	20	1913
18	72·2	9·3	19	22	1942
20	163·2	32·2	3	24	1948

Number of Days with 1·0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0·2 mm or more	Year
		Amount	Date		
0	mm	mm			
1	0·9	0·2	2	4	1934
1	4·4	2·9	9	5	1932
3	17·6	11·3	10	7	1952
4	39·9	22·7	19	11	1917
4	16·8	7·1	24	7	1921
4	19·4	10·2	8	12	1924
4	11·4	3·8	26	10	1938
4	22·1	9·0	27	10	1942
5	17·5	4·3	25	13	1905
5	14·5	6·4	28	6	1909
5	13·2	3·3	24	10	1913
6	22·7	6·4	8	13	1943
6	22·4	4·9	11	10	1949
6	40·9	17·1	9	9	1953
7	25·3	7·6	4	12	1907
8	30·0	9·4	11	15	1908
8	32·3	9·7	14	14	1911
9	22·6	4·9	18	13	1919
9	37·0	6·6	21	16	1939
9	55·6	28·9	22	14	1944
9	27·4	7·9	26	13	1946
9	76·9	18·8	7	14	1912
10	54·6	14·1	18	13	1927
10	59·4	13·7	28	17	1933
10	85·7	17·6	24	16	1940
10	89·9	31·7	16	15	1948
10	34·1	6·7	1	18	1906
11	39·1	8·1	22	20	1918
11	42·9	6·3	10	20	1920
11	43·8	7·8	3	14	1926
11	42·6	6·5	5	20	1931
11	33·0	5·2	11	17	1935
11	85·7	34·5	24	19	1936
11	46·5	9·5	17	16	1922
12	31·4	4·2	3	18	1929
12	48·0	10·0	5	14	1947
12	72·5	24·8	2	13	1928
13	59·8	11·4	10	17	1945
13	37·0	8·4	22	18	1951
13	67·7	19·2	2	21	1937
14	77·5	14·4	7	15	1914
15	59·4	12·6	21	18	1904
16	81·8	11·2	3	18	1915
16	78·7	11·9	5	19	1941
16	65·5	10·1	17	22	1950
16	105·0	23·9	9	23	1923
18	90·2	20·1	18	24	1925
19	141·0	20·5	10	23	1916
19	102·6	14·2	22	25	1916
20	83·5	11·5	29		

Table 10 — Rainfall at Trinity College, Dublin
 Number of Wet Days (1.0 mm or more) in Ascending Order with Corresponding Rainfall Data

March

Number of Days with 1.0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0.2 mm or more	Year
		Amount	Date		
2	5.9	3.2	20	4	1929
3	17.7	6.9	20	8	1938
3	9.3	3.3	14	7	1944
3	13.6	4.6	19	7	1945
3	9.0	4.8	31	5	1953
4	13.1	3.9	1	7	1935
4	16.4	6.1	3	11	1943
5	26.7	14.2	22	7	1915
5	12.9	4.6	4	7	1924
5	20.6	8.2	3	15	1926
6	19.8	8.1	1	11	1910
6	37.3	17.8	29	12	1948
6	23.7	10.9	18	12	1950
7	35.1	12.2	10	16	1906
7	25.0	4.5	27	11	1918
7	15.1	3.7	20	12	1925
7	36.0	8.4	28	12	1931
7	29.1	7.2	7	12	1932
7	31.2	7.5	12	11	1946
7	46.7	14.8	4	12	1949
7	26.2	8.2	15	15	1952
8	31.5	5.8	12	15	1940
9	24.8	5.1	4	13	1922
10	47.0	18.0	19	16	1907
10	33.0	5.8	31	11	1911
10	48.2	10.2	1	17	1920
10	27.0	3.5	1	15	1923
11	42.2	12.9	19	13	1933
11	60.0	14.4	14	18	1934
11	38.8	11.6	26	15	1936
12	80.9	16.9	19	23	1916
12	71.2	24.7	4	22	1917
12	50.6	11.6	14	20	1921
12	61.1	13.1	4	10	1942
13	66.0	11.2	28	17	1909
13	53.4	13.5	8	20	1939
13	93.6	39.3	31	10	1941
14	53.6	12.7	7	18	1904
14	49.5	5.0	15	10	1914
14	73.9	15.2	31	20	1927
14	83.8	16.2	18	21	1930
14	112.1	24.8	11	21	1937
15	54.4	7.4	2	20	1913
15	54.5	9.6	18	19	1919
16	70.4	17.8	5	20	1908
16	87.9	19.8	7	19	1951
17	71.4	20.8	23	20	1905
17	64.0	10.2	20	21	1912
17	101.6	18.6	23	22	1928
17	136.1	31.1	16	20	1947

Number of Days with 1.0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0.2 mm or more	Year
		Amount	Date		
1	1	1.4	1.4	2	1938
4	39.2	18.4	1	12	1945
5	30.0	21.2	21	5	1912
5	19.3	5.9	17	10	1921
6	37.9	15.4	27	10	1929
7	19.3	5.1	3	9	1914
7	22.9	5.3	26	15	1919
7	27.3	12.0	23	9	1933
8	20.0	4.1	17	11	1917
8	44.8	11.4	9	10	1918
8	28.6	10.2	13	16	1928
8	40.0	10.7	3	13	1939
8	24.5	4.4	4	11	1942
8	25.6	5.7	24	14	1943
8	27.3	4.6	24	13	1946
9	28.7	4.8	2	16	1904
9	42.7	15.0	29	17	1906
9	55.4	20.8	27	12	1908
9	46.5	19.1	18	14	1911
9	35.2	7.1	14	19	1926
9	49.6	10.6	21	16	1936
9	26.1	5.8	8	19	1951
10	24.6	5.5	3	14	1930
10	75.9	22.5	1	18	1931
10	62.6	15.2	17	10	1941
10	38.7	12.9	1	12	1944
10	70.4	19.5	21	16	1948
10	41.6	18.7	5	14	1949
11	34.0	5.4	30	15	1915
11	55.6	12.5	14	19	1922
11	42.2	8.8	29	12	1924
11	27.9	5.2	4	14	1927
11	44.6	9.0	3	14	1937
11	47.0	20.2	21	15	1952
11	66.3	15.9	5	14	1953
12	50.8	11.4	19	17	1910
12	58.8	10.0	5	18	1925
12	59.4	13.3	13	18	1934
13	65.8	8.4	2	20	1907
13	76.8	27.8	4	20	1923
13	59.0	13.0	30	20	1932
13	39.9	7.3	20	19	1935
13	77.9	19.4	21	17	1947
14	67.8	20.8	29	17	1913
(14)	(49.6)	(9.3)	(17)	(19)	1916
15	59.9	15.5	30	26	1905
15	99.8	41.7	3	21	1909
16	71.4	12.2	22	20	1940
18	55.5	10.2	28	24	1950
20	66.5	11.2	9	25	1920

Table 10 — Rainfall at Trinity College, Dublin

Number of Wet Days (1·0 mm or more) in Ascending Order with Corresponding Rainfall Data
May June

Number of Days with 1·0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0·2 mm or more	Year
		Amount	Date		
3	10·7	3·6	6	7	1939
4	28·4	18·0	1	8	1905
5	26·4	9·8	13	8	1911
5	15·7	5·0	17	13	1922
5	19·0	6·7	21	6	1940
6	37·1	15·4	17	10	1915
6	18·1	5·9	2	12	1927
6	28·2	11·6	27	7	1928
7	28·4	9·4	17	12	1909
7	31·0	7·8	5	15	1929
7	49·3	24·0	30	11	1930
7	35·8	9·4	19	8	1935
7	28·9	13·8	5	9	1936
7	22·8	9·0	31	9	1944
8	66·8	27·7	31	16	1904
8	27·2	8·4	19	13	1912
8	39·4	11·0	14	12	1919
8	38·4	14·7	9	13	1937
8	31·8	9·4	18	11	1953
9	30·7	5·6	7	16	1908
9	41·1	9·9	22	12	1914
9	55·0	10·3	1	10	1918
9	41·2	11·5	17	12	1934
9	58·8	17·4	15	18	1938
9	64·5	20·9	22	13	1941
9	31·9	5·8	24	15	1949
9	39·0	13·3	17	12	1950
9	48·0	12·6	4	11	1951
10	68·8	17·5	5	13	1913
10	68·2	20·5	26	11	1917
10	94·1	26·4	9	16	1943
10	51·1	9·2	26	16	1945
10	59·7	12·6	2	15	1952
11	39·6	7·5	8	19	1921
11	43·6	9·3	22	17	1923
11	49·3	15·0	26	13	1946
11	57·4	14·1	30	13	1948
12	65·3	18·8	2	16	1933
13	61·2	12·0	19	18	1942
14	61·2	12·4	19	19	1906
14	76·5	27·7	6	18	1907
14	64·3	12·2	18	21	1920
14	90·7	22·8	9	18	1947
15	55·1	19·4	1	18	1926
16	62·7	9·1	18	20	1910
(16)	(95·8)	(37·1)	(5)	(17)	1916
16	92·2	25·9	19	21	1931
17	83·6	18·0	8	22	1932
18	67·4	16·6	9	22	1924
24	132·8	16·2	18	26	1925

Number of Days with 1·0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0·2 mm or more	Year
		Amount	Date		
1	6·0	4·7	5	3	1925
1	3·9	3·3	14	3	1942
2	4·1	1·0	7	6	1921
3	8·5	4·4	27	5	1932
5	22·9	8·0	20	5	1914
5	18·6	6·7	5	10	1941
5	15·7	4·1	2	10	1949
6	42·9	14·5	25	11	1917
6	17·4	4·2	12	12	1922
7	26·2	5·8	10	9	1904
7	28·7	9·1	18	10	1905
7	48·5	13·5	23	8	1909
7	35·4	12·6	25	11	1915
7	22·2	5·0	15	7	1940
8	34·5	7·9	2	9	1908
8	38·9	8·5	16	9	1911
8	19·2	4·0	8	12	1918
8	69·0	35·1	12	14	1919
8	24·5	7·9	17	9	1923
8	38·2	8·5	8	14	1929
8	28·1	6·6	6	15	1937
8	25·6	9·0	30	14	1944
8	25·1	5·2	22	10	1951
8	25·8	4·2	7	12	1952
8	26·5	5·9	14	10	1953
9	52·6	14·3	17	16	1926
9	44·9	13·7	18	14	1930
9	31·7	4·5	24	13	1933
9	28·7	10·2	18	12	1950
10	28·7	6·1	19	10	1913
10	46·6	13·0	12	14	1920
10	37·8	7·2	27	14	1934
11	77·0	19·8	1	15	1936
11	33·9	6·5	27	16	1939
12	25·4	3·6	15	12	1906
12	66·7	15·8	17	16	1924
12	68·4	15·1	1	18	1948
13	69·3	12·7	4	23	1907
13	83·5	16·8	4	20	1947
14	150·1	32·3	5	14	1910
14	57·6	14·0	30	18	1916
14	70·1	10·6	28	20	1938
15	61·9	13·6	30	21	1927
15	113·2	27·0	13	21	1928
15	93·2	20·4	5	18	1931
15	62·9	16·9	17	20	1935
15	79·7	13·0	29	18	1945
16	56·3	11·2	17	20	1943
18	73·5	21·4	9	21	1946
20	61·0	5·7	2	22	1912

Table 10 — Rainfall at Trinity College, Dublin
 Number of Wet Days (1·0 mm or more) in Ascending Order with Corresponding Rainfall Data
 July

Number of Days with 1·0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0·2 mm or more	Year
		Amount	Date		
4	mm	mm			
4	26·2	10·7	21	9	1919
4	21·6	8·3	7	9	1952
5	14·8	3·7	13	9	1935
6	26·9	7·6	15	14	1904
7	72·4	35·3	29	11	1911
7	15·2	3·6	18	10	1913
7	44·7	8·9	20	13	1917
8	28·2	6·0	28	9	1928
8	41·4	16·1	26	15	1942
8	34·4	6·4	9	12	1943
8	36·0	10·4	15	10	1949
9	19·8	2·5	9	17	1905
9	24·1	6·4	1	12	1906
9	49·2	12·1	1	11	1916
9	34·9	7·0	29	11	1934
9	33·5	6·5	24	13	1941
10	51·3	13·5	7	11	1908
10	57·7	16·8	4	17	1914
10	105·0	37·4	27	12	1921
10	59·7	18·2	6	17	1923
10	57·7	28·4	18	14	1926
10	54·4	19·9	21	12	1929
10	42·1	6·7	14	15	1933
10	66·5	26·1	15	12	1945
10	56·6	17·5	17	13	1948
10	49·2	12·6	10	11	1951
11	61·2	14·2	5	16	1910
11	51·2	11·0	7	22	1922
11	68·4	28·7	20	15	1927
11	46·1	9·8	18	18	1939
11	53·2	7·6	2	16	1944
12	45·2	9·9	2	18	1907
12	66·1	37·8	26	14	1925
12	63·1	23·1	26	18	1946
12	68·8	17·7	25	16	1947
13	37·6	5·8	14	14	1937
13	95·8	44·0	7	17	1938
13	61·6	20·9	13	20	1950
14	73·7	13·2	31	15	1912
14	82·2	17·5	15	22	1931
15	88·3	27·2	3	22	1926
15	66·8	14·1	15	20	1930
16	82·6	11·9	24	18	1909
16	68·4	9·2	25	18	1918
17	133·7	28·2	16	20	1915
17	105·6	41·9	13	25	1932
19	130·3	32·1	17	27	1936
19	67·0	8·5	13	22	1953
20	120·7	27·5	25	24	1920
20	102·2	22·1	12	24	1940

Number of Days with 1·0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0·2 mm or more	Year
		Amount	Date		
1	mm	mm			
4	30·3	29·6	1	2	1947
4	33·1	12·0	13	11	1932
5	15·3	5·2	24	11	1933
5	24·6	10·1	18	11	1936
5	10·9	3·0	18	6	1940
6	23·9	9·4	9	8	1913
6	41·8	12·6	2	12	1939
6	16·2	4·0	27	10	1945
7	30·7	9·9	21	12	1909
7	57·0	22·8	26	11	1935
8	68·6	13·4	27	16	1916
8	50·9	23·1	7	15	1938
9	39·9	8·6	24	16	1906
9	25·4	6·6	28	15	1911
9	50·2	11·9	5	13	1918
9	34·0	8·9	4	12	1920
9	31·2	7·0	1	17	1925
9	81·0	29·9	13	12	1937
10	79·0	25·9	14	16	1914
10	60·8	16·0	25	16	1919
10	78·7	20·2	7	11	1931
11	74·2	23·1	30	17	1904
11	55·8	18·4	18	12	1944
12	82·6	26·9	1	22	1910
12	84·1	22·4	24	17	1942
12	55·8	7·3	27	19	1943
12	81·5	28·3	6	16	1948
12	107·4	23·9	7	14	1952
13	81·8	40·9	20	14	1908
13	59·5	9·6	1	15	1915
13	54·4	8·9	14	21	1926
13	92·7	24·9	3	21	1929
14	67·3	22·4	7	16	1949
14	62·7	14·9	28	14	1953
15	104·4	42·7	30	18	1922
15	59·1	15·8	19	20	1928
15	77·3	19·6	1	19	1934
15	136·9	35·8	12	23	1946
16	165·6	83·8	25	20	1905
16	50·4	12·2	29	19	1907
16	123·4	35·8	4	23	1912
16	60·4	13·6	5	21	1921
16	56·5	7·1	25	24	1941
17	79·6	8·8	2	22	1926
17	133·2	22·9	25	24	1950
17	86·9	19·0	23	25	1951
18	102·7	21·7	29	21	1923
19	174·6	31·6	15	21	1927
20	120·4	26·4	18	23	1930
23	186·5	30·3	27	26	1917

Table 10 — Rainfall at Trinity College, Dublin
 Number of Wet Days (1.0 mm or more) in Ascending Order with Corresponding Rainfall Data

September

Number of Days with 1.0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0.2 mm or more	Year
		Amount	Date		
2	mm	mm			
2	8.2	4.0	28	7	1929
3	11.4	5.6	3	6	1907
3	12.4	6.9	29	5	1912
(5)	(28.9)	(11.7)	(16)	(10)	1914
5	19.0	5.0	5	12	1928
5	26.8	8.4	22	8	1949
6	20.3	5.1	11	7	1906
6	15.2	3.3	10	10	1910
6	33.0	14.7	12	6	1921
6	37.2	11.3	8	12	1926
6	21.5	7.1	22	7	1933
6	14.3	3.2	26	8	1941
7	25.1	10.5	25	11	1911
7	22.5	5.5	9	14	1920
7	85.4	39.9	2	12	1939
7	31.4	6.9	19	13	1953
8	22.9	5.0	24	12	1915
8	125.1	74.2	3	12	1931
8	31.0	10.7	28	14	1938
9	29.2	6.6	24	13	1905
9	108.2	40.6	19	10	1913
9	53.0	16.0	2	12	1916
9	41.0	11.0	17	15	1917
9	36.5	7.0	30	17	1937
9	41.7	9.9	16	15	1947
10	57.2	27.7	12	16	1904
10	46.7	18.3	27	14	1909
10	51.9	18.3	15	14	1945
10	65.0	29.4	28	15	1952
11	61.8	11.2	18	15	1922
11	56.3	13.4	2	14	1932
11	98.4	24.4	28	18	1942
11	56.2	22.0	16	18	1943
11	60.1	15.0	1	20	1948
11	49.3	10.2	3	15	1951
12	49.8	11.8	22	16	1919
12	45.2	8.5	17	19	1923
12	55.6	15.1	17	20	1925
12	65.0	13.7	6	15	1936
12	47.4	11.1	16	15	1940
13	56.1	11.9	8	15	1908
13	116.5	18.0	5	18	1944
14	68.4	17.5	16	20	1934
15	135.6	38.0			
16	82.9	12.2	10	20	1927
16	113.5	30.5	19	22	1946
17	165.1	36.7	19	20	1930
17	89.0	13.0	1	19	1935
18	116.5	31.9	15	22	1918
18	92.6	19.3	6	22	1950

October

Number of Days with 1.0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0.2 mm or more	Year
		Amount	Date		
3	mm	mm			
3	10.7	5.1	16	7	1904
5	10.7	5.1	27	6	1951
6	15.6	3.2	9	9	1931
6	38.2	12.9	23	11	1945
6	18.8	7.5	21	9	1947
6	23.6	5.9	13	12	1948
7	26.2	7.5	2	11	1905
7	31.2	13.1	31	9	1914
7	93.0	38.3	25	12	1937
7	52.8	14.9	19	9	1946
8	28.7	5.3	20	10	1908
8	54.4	25.6	23	14	1919
8	49.9	15.0	17	14	1941
8	35.0	11.9	26	13	1952
9	52.1	28.4	2	14	1910
9	55.6	18.0	19	15	1933
9	80.2	25.3	25	17	1949
10	21.3	3.2	11	15	1922
10	33.7	11.5	30	12	1936
11	40.4	10.2	26	11	1912
11	47.0	10.4	22	17	1921
11	62.5	23.1	19	22	1925
11	68.4	32.6	21	14	1927
11	44.3	13.8	24	16	1934
11	38.4	6.0	23	20	1942
12	67.2	17.9	31	16	1943
12	80.8	13.0	11	20	1906
12	62.7	12.7	23	23	1909
12	91.4	22.1	7	16	1913
12	51.2	14.8	26	21	1923
12	59.1	18.7	7	21	1929
12	56.6	15.2	21	21	1932
12	130.8	29.8	9	19	1940
13	60.9	14.7	9	19	1935
13	72.4	24.0	21	18	1950
14	107.7	21.7	19	18	1915
14	63.2	15.1	3	23	1917
14	149.4	21.7	6	16	1920
14	43.6	7.4	30	18	1924
14	60.7	18.6	10	20	1928
15	54.6	10.3	31	20	1918
15	74.3	12.6	12	20	1926
15	87.5	22.2	4	21	1939
15	70.3	14.5	10	21	1944
15	84.4	17.1	13	20	1952
16	92.2	19.7	20	18	1911
16	90.1	20.1	17	24	1930
17	101.1	15.2	17	24	1938
20	146.0	18.6	2	24	1916
22	126.2	18.5	8	27	1907

Table 10 — Rainfall at Trinity College, Dublin
 Number of Wet Days (1.0 mm or more) in Ascending Order with Corresponding Rainfall Data
November

Number of Days with 1.0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0.2 mm or more	Year
		Amount	Date		
2	mm	6.6	2.3	6	1922
3	11.2	4.4	10	7	1942
4	11.5	2.8	12	9	1945
5	33.0	17.3	13	10	1909
5	100.2	51.4	12	8	1915
6	28.2	9.9	6	9	1904
8	33.8	8.9	4	13	1912
8	26.4	8.2	24	10	1932
8	23.5	4.9	17	13	1933
8	47.1	17.7	13	15	1953
9	63.0	13.2	26	13	1907
9	60.0	30.3	1	12	1918
9	48.5	13.5	9	12	1934
9	49.6	21.3	22	14	1937
10	37.2	10.1	11	18	1917
10	56.6	18.0	26	13	1924
10	78.7	26.5	6	16	1925
11	35.3	7.1	7	17	1906
11	29.5	8.6	13	12	1908
11	53.6	13.7	7	18	1913
11	58.1	25.2	27	14	1920
11	61.1	12.3	1	18	1921
11	47.8	12.1	28	21	1923
11	61.2	23.0	11	18	1926
11	68.0	27.4	12	16	1938
11	32.3	5.8	12	15	1948
12	142.6	39.4	17	17	1916
12	57.0	13.4	17	15	1927
12	55.6	18.1	23	15	1930
12	77.2	14.1	28	16	1946
12	78.0	15.9	20	16	1952
13	66.5	15.5	22	14	1910
13	85.3	23.0	20	15	1935
13	43.8	9.3	8	20	1949
13	49.6	9.8	18	18	1950
14	83.6	19.6	5	18	1940
14	79.0	11.4	20	23	1941
14	67.0	22.3	2	19	1943
14	62.0	8.7	11	22	1947
14	114.6	37.4	4	21	1951
15	81.4	18.4	2	20	1928
16	92.7	17.8	1	19	1905
16	68.9	12.6	15	23	1919
16	88.8	17.0	18	26	1926
16	104.4	16.9	3	21	1931
16	115.0	20.0	18	20	1944
17	70.9	14.7	12	19	1911
18	78.0	7.4	11	19	1914
19	118.5	19.7	15	26	1929
20	86.5	14.7	4	23	1939

Number of Days with 1.0 mm or more	Total	Greatest Fall in a Day		Number of Days with 0.2 mm or more	Year
		Amount	Date		
4	mm	20.0	8.3	4	1926
5	21.3	6.6	2	13	1931
6	37.4	14.1	27	14	1933
7	45.2	13.2	3	11	1913
8	27.4	5.8	18	13	1905
8	33.3	17.4	27	11	1941
8	34.9	7.7	20	14	1943
8	31.7	11.7	3	15	1953
9	38.9	14.7	28	13	1908
9	62.3	16.1	16	17	1917
9	40.5	6.4	29	20	1923
9	43.8	14.6	13	14	1939
10	36.1	9.9	9	16	1904
10	58.5	22.5	27	15	1921
10	45.7	12.0	25	20	1925
10	60.9	20.0	21	15	1927
10	93.3	25.6	18	21	1932
10	95.3	24.9	4	14	1947
11	51.6	13.5	19	17	1907
11	41.9	8.3	13	18	1922
11	43.1	11.6	1	20	1937
11	50.7	24.5	26	20	1950
12	45.2	9.9	15	17	1906
12	46.7	12.7	29	17	1920
12	62.7	20.3	10	16	1930
12	45.2	8.0	31	18	1940
12	46.6	12.5	16	16	1944
12	77.0	18.7	6	15	1945
12	54.2	12.3	6	16	1952
13	60.8	11.8	15	22	1918
13	37.1	7.7	24	18	1935
13	58.0	14.2	11	17	1936
13	80.7	17.4	10	17	1938
14	51.8	10.7	25	20	1912
14	90.4	14.6	14	26	1919
14	70.8	16.2	10	19	1946
15	106.7	25.1	5	20	1909
15	69.3	11.3	12	24	1916
15	64.7	11.2	15	19	1928
15	74.7	15.3	15	19	1942
15	111.7	22.0	26	19	1948
15	61.4	10.0	12	21	1949
16	151.4	28.2	11	19	1914
16	86.0	12.9	8	20	1951
17	94.0	19.1	14	24	1911
17	116.3	16.0	2	22	1924
17	118.1	26.2	4	26	1934
18	114.3	13.0	3	25	1915
19	133.6	20.8	1	25	1910
20	147.3	18.8	20	26	1929

Table 11 — Rainfall at Trinity College, Dublin
Greatest Fall in a Day in Ascending Order with Corresponding Rainfall Data

January

Greatest Fall in a Day		Total	Percentage of Average 1881-1915	Number of Days with 0.2 mm or more	Year
Amount	Date				
mm		mm			
4.2	31	24.4	44	11	1914
4.3	5	14.5	26	7	1911
4.6	1	10.4	19	6	1907
5.0	30	13.1	24	8	1953
5.9	29	14.5	26	13	1950
6.0	6	31.8	57	9	1916
6.1	13	30.2	55	18	1917
6.2	18	30.7	55	11	1909
6.5	18	26.8	48	14	1945
6.5	17	48.5	88	24	1928
6.8	30	33.9	61	18	1931
7.1	25	30.0	54	11	1935
7.3	28	26.7	48	11	1929
7.6	2	40.8	74	15	1923
7.6	14	33.7	61	12	1933
8.3	8	61.9	112	23	1919
8.6	15	53.6	97	14	1915
8.6	18	37.6	68	15	1918
8.9	25	54.3	98	18	1922
9.3	31	64.7	117	20	1938
9.3	19	72.2	130	22	1942
9.9	25	50.5	91	17	1927
10.0	4	57.0	103	15	1925
10.4	5	52.4	95	14	1932
11.3	1	57.0	103	22	1921
12.4	29	57.2	103	14	1946
13.0	16	44.2	80	14	1905
13.3	5	89.3	161	22	1947
13.5	22	59.3	107	16	1952
14.0	17	98.3	177	21	1906
14.5	3	62.2	112	16	1904
14.5	17	86.6	156	21	1939
14.5	15	108.8	196	17	1941
15.0	13	40.8	74	17	1934
15.0	9	70.5	127	19	1951
15.8	21	100.7	182	19	1937
16.5	6	47.8	86	14	1908
17.4	9	104.0	188	21	1920
19.1	6	81.5	141	20	1944
19.9	9	78.3	141	17	1912
20.4	19	86.7	156	19	1936
20.5	11	109.3	197	20	1943
21.1	12	85.2	154	24	1924
22.6	28	72.1	130	17	1910
22.6	3	48.8	88	9	1949
23.6	27	58.1	105	10	1940
27.6	28	100.3	181	24	1926
28.5	31	84.3	152	20	1930
32.2	3	163.2	295	24	1948
36.6	10	135.9	245	20	1913

February

Greatest Fall in a Day		Total	Percentage of Average 1881-1915	Number of Days with 0.2 mm or more	Year
Amount	Date				
mm		mm			
0.2	2	0.9	2	4	1934
2.9	9	4.4	10	5	1932
3.3	24	13.2	30	10	1913
3.8	26	11.4	26	10	1938
4.2	3	31.4	71	16	1922
4.3	25	17.5	39	13	1905
4.9	18	22.6	51	13	1911
4.9	11	22.4	50	10	1949
5.2	11	33.0	74	17	1931
6.3	10	42.9	96	20	1918
6.4	28	14.5	33	6	1909
6.4	8	22.7	51	13	1943
6.5	5	42.6	96	20	1926
6.6	21	37.0	83	16	1919
6.7	1	34.1	77	15	1948
7.1	24	16.8	38	7	1921
7.6	4	25.3	57	9	1930
7.8	3	43.8	98	14	1920
7.9	26	27.4	62	14	1944
8.1	22	39.1	88	18	1906
8.4	22	37.0	83	17	1945
9.0	27	22.1	50	10	1942
9.4	11	30.0	67	12	1907
9.5	17	46.5	104	16	1936
9.7	14	32.3	73	15	1908
10.0	5	48.0	108	18	1929
10.1	17	65.5	147	19	1941
10.2	8	19.4	44	12	1924
11.2	3	81.8	184	18	1904
11.3	10	17.6	40	7	1952
11.4	10	59.8	134	13	1928
11.5	29	83.5	188	25	1916
11.9	5	78.7	177	18	1915
12.6	21	59.4	133	15	1914
13.7	28	59.4	133	13	1927
14.1	18	54.6	123	14	1912
14.2	22	102.6	231	23	1925
14.4	7	77.5	174	21	1937
17.1	9	40.9	92	9	1953
17.6	24	85.7	193	17	1933
18.8	7	76.9	173	13	1946
19.2	2	67.7	152	18	1951
20.1	18	90.2	203	23	1910
20.5	10	141.0	317	24	1923
22.7	19	39.9	90	11	1917
23.9	9	105.0	236	22	1950
24.8	2	72.5	163	14	1947
28.9	22	55.6	125	16	1939
31.7	16	89.9	202	16	1940
34.5	24	85.7	193	19	1935

Table II — Rainfall at Trinity College, Dublin
Greatest Fall in a Day in Ascending Order with Corresponding Rainfall Data

March

April

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date	mm	mm	mm	mm
3·2	20	5·9	13	4	1929
3·3	14	9·3	20	7	1944
3·5	1	27·0	58	15	1923
3·7	20	15·1	32	12	1925
3·9	1	13·1	28	7	1935
4·5	27	25·0	54	11	1918
4·6	4	12·9	28	7	1924
4·6	19	13·6	29	7	1945
4·8	31	9·0	19	5	1953
5·0	15	49·5	106	19	1914
5·1	4	24·8	53	13	1922
5·8	31	33·0	71	11	1911
5·8	12	31·5	67	15	1940
6·1	3	16·4	35	11	1943
6·9	20	17·7	38	8	1938
7·2	7	29·1	62	12	1932
7·4	2	54·4	116	20	1913
7·5	12	31·2	67	11	1946
8·1	1	19·8	42	11	1910
8·2	3	20·6	44	15	1926
8·2	15	26·2	56	15	1952
8·4	28	36·0	77	12	1931
9·6	18	54·5	117	19	1919
10·2	20	64·0	137	21	1912
10·2	1	48·2	103	17	1920
10·9	18	23·7	51	12	1950
11·2	28	66·0	141	17	1909
11·6	14	50·6	108	20	1921
11·6	26	38·8	83	15	1926
12·2	10	35·1	75	16	1906
12·7	7	53·6	115	18	1904
12·9	19	42·2	90	13	1933
13·1	4	61·1	131	19	1942
13·5	8	53·4	114	20	1939
14·2	22	26·7	57	7	1915
14·4	14	60·0	128	18	1934
14·8	4	46·7	100	12	1949
15·2	31	73·9	158	20	1927
16·2	18	83·8	179	21	1930
16·9	19	80·9	173	23	1916
17·8	5	70·4	151	20	1908
17·8	29	37·3	80	12	1948
18·0	19	47·0	101	16	1907
18·6	23	101·6	218	22	1928
19·8	7	87·9	188	19	1931
20·8	23	71·4	153	20	1905
24·7	4	71·2	152	22	1917
24·8	11	112·1	240	21	1937
31·1	16	136·1	291	20	1947
39·3	31	93·6	200	19	1941

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date	mm	mm	mm	mm
1·4	2	1·4	3	1	1938
4·1	17	20·0	43	11	1917
4·4	4	24·5	52	11	1942
4·6	24	27·3	58	13	1946
4·8	2	28·7	61	16	1904
5·1	3	19·3	41	9	1914
5·2	4	27·9	59	14	1927
5·3	26	22·9	49	15	1919
5·4	30	34·0	72	15	1915
5·5	3	24·6	52	14	1930
5·7	24	25·6	54	14	1943
5·8	8	26·1	56	19	1951
5·9	17	19·3	41	10	1921
7·1	14	35·2	75	19	1926
7·3	20	39·9	85	19	1935
8·4	2	65·8	140	20	1907
8·8	29	42·2	90	12	1924
9·0	3	44·6	95	14	1937
(9·3)	(19)	(49·6)	(106)	(17)	1916
10·0	5	58·8	125	18	1925
10·2	13	28·6	61	16	1928
10·2	28	55·5	118	24	1950
10·6	21	49·6	106	16	1936
10·7	3	40·0	85	13	1939
11·2	9	66·5	142	25	1920
11·4	19	50·8	108	17	1910
11·4	9	44·8	95	10	1918
12·0	23	27·3	58	9	1933
12·2	22	71·4	152	20	1940
12·5	14	55·6	118	19	1922
12·9	1	38·7	82	12	1944
13·0	30	59·0	126	20	1932
13·3	13	59·4	126	18	1934
15·0	29	42·7	91	17	1906
15·2	17	62·6	133	10	1941
15·4	27	37·9	81	10	1929
15·5	39	59·9	127	26	1905
15·9	5	66·3	141	14	1953
18·4	1	39·2	83	12	1945
18·7	5	41·6	89	14	1949
19·1	18	46·5	99	14	1911
19·4	21	77·9	166	17	1947
19·5	21	70·4	150	16	1948
20·2	21	47·0	100	15	1952
20·8	27	55·4	118	12	1908
20·8	29	67·8	144	17	1913
21·2	21	30·0	64	5	1912
22·5	1	73·9	161	18	1931
27·8	4	76·8	163	20	1923
41·7	3	99·8	212	21	1909

Table II — Rainfall at Trinity College, Dublin
Greatest Fall in a Day in Ascending Order with Corresponding Rainfall Data
May

Greatest Fall in a Day		Total	Percentage of Average 1881-1915	Number of Days with 0.2 mm or more	Year
Amount	Date				
3.6	6	10.7	22	7	1939
5.0	17	15.7	32	13	1922
5.6	7	30.7	63	16	1908
5.8	24	31.9	65	15	1949
5.9	2	18.1	37	12	1927
6.7	21	19.0	39	6	1940
7.5	8	39.6	81	19	1921
7.8	5	31.0	63	15	1929
8.4	19	27.2	56	13	1912
9.0	31	22.8	47	9	1944
9.1	18	62.7	128	20	1910
9.2	26	51.1	104	16	1945
9.3	22	43.6	89	17	1923
9.4	17	28.4	58	12	1909
9.4	19	35.8	73	8	1935
9.4	18	31.8	65	11	1953
9.8	13	26.4	54	8	1911
9.9	22	41.1	84	12	1914
10.3	1	55.0	112	10	1918
11.0	14	39.4	80	12	1919
11.5	17	41.2	84	12	1934
11.6	27	28.2	58	7	1928
12.0	19	61.2	125	18	1942
12.2	18	64.3	131	21	1920
12.4	19	61.2	125	19	1906
12.6	4	48.0	98	11	1951
12.6	2	59.7	122	15	1952
13.3	17	39.0	80	12	1950
13.8	5	28.9	59	9	1936
14.1	30	57.4	117	13	1948
14.7	9	38.4	78	13	1937
15.0	26	49.3	101	13	1946
15.4	17	37.1	76	10	1915
16.2	18	132.8	271	26	1925
16.6	9	67.4	138	22	1924
17.4	15	58.8	120	18	1938
17.5	5	68.8	140	13	1913
18.0	1	28.4	58	8	1905
18.0	8	83.6	171	22	1932
18.8	2	65.3	133	16	1933
19.4	1	55.1	112	18	1926
20.5	26	68.2	139	11	1917
20.9	22	64.5	132	13	1941
22.8	9	90.7	185	18	1947
24.0	30	49.3	101	11	1930
25.9	19	92.2	188	21	1931
26.4	9	94.1	192	16	1943
27.7	31	66.8	136	16	1904
27.7	6	76.5	156	18	1907
(37.1)	(5)	(95.8)	(196)	(17)	1916

Greatest Fall in a Day		Total	Percentage of Average 1881-1915	Number of Days with 0.2 mm or more	Year
Amount	Date				
1.0	7	4.1	9	6	1921
3.3	14	3.9	8	3	1942
3.6	15	25.4	55	12	1906
4.0	8	10.2	41	12	1918
4.1	2	15.7	34	10	1949
4.2	12	17.4	37	12	1922
4.2	7	25.8	55	12	1952
4.4	27	8.5	18	5	1932
4.5	24	31.7	68	13	1933
4.7	5	6.0	13	3	1925
5.0	15	22.2	48	7	1940
5.2	22	25.1	54	10	1951
5.7	2	61.0	131	22	1912
5.8	10	26.2	56	9	1904
5.9	14	26.5	57	10	1953
6.1	19	28.7	62	10	1913
6.5	27	33.9	73	16	1939
6.6	6	28.1	60	15	1937
6.7	5	18.6	40	10	1941
7.2	27	37.8	81	14	1934
7.9	2	34.5	74	9	1908
7.9	17	24.5	53	9	1923
8.0	20	22.9	49	5	1914
8.5	16	38.9	84	9	1911
8.5	8	38.2	82	14	1929
9.0	30	25.6	55	14	1944
9.1	18	28.7	62	10	1905
10.2	18	28.7	62	12	1950
10.6	28	70.1	151	20	1938
11.2	17	56.3	121	20	1943
12.6	25	35.4	76	11	1915
12.7	4	69.3	149	23	1907
13.0	12	46.6	100	14	1920
13.0	29	79.7	171	18	1945
13.5	23	48.5	104	8	1909
13.6	30	61.9	133	21	1927
13.7	18	44.9	97	14	1930
14.0	30	57.6	124	18	1916
14.3	17	52.6	113	16	1926
14.5	25	42.9	92	11	1917
15.1	1	68.4	147	18	1948
15.8	17	66.7	143	16	1924
16.8	4	83.5	180	20	1947
16.9	17	62.9	135	20	1935
19.8	1	77.0	166	15	1936
20.4	5	93.2	200	18	1931
21.4	9	73.5	158	21	1946
27.0	13	113.2	243	21	1928
32.3	5	150.1	323	14	1910
35.1	12	69.0	148	14	1919

Table 11.—Rainfall at Trinity College, Dublin
Greatest Fall in a Day in Ascending Order with Corresponding Rainfall Data
July

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date				
mm	mm				
2·5	9	19·8	32	17	1905
3·6	18	15·2	25	10	1913
3·7	13	14·8	24	9	1935
5·8	14	37·6	61	14	1937
6·0	28	28·2	45	9	1928
6·4	1	24·1	39	12	1906
6·4	9	34·4	55	12	1943
6·5	24	33·5	54	13	1941
6·7	14	42·1	68	15	1933
7·0	29	34·9	56	11	1934
7·6	15	26·9	43	14	1904
7·6	2	53·2	86	16	1944
8·3	7	21·6	35	9	1952
8·5	13	67·0	108	22	1953
8·9	20	44·7	72	13	1917
9·2	25	68·4	110	18	1918
9·8	18	46·1	74	18	1939
9·9	2	45·2	73	18	1907
10·4	15	36·0	58	10	1949
10·7	21	26·2	42	9	1919
11·0	7	51·2	83	22	1922
11·9	24	82·6	133	18	1909
12·1	1	49·2	79	11	1916
12·6	10	49·2	79	11	1951
13·2	31	73·7	119	15	1912
13·5	7	51·3	83	11	1908
14·1	15	66·8	108	20	1930
14·2	5	61·2	99	16	1910
16·1	26	41·4	67	15	1942
16·8	4	57·7	93	17	1914
17·5	15	82·2	133	22	1931
17·5	17	56·6	91	13	1948
17·7	25	68·8	111	16	1947
18·2	6	59·7	96	17	1923
19·9	21	54·4	88	12	1929
20·9	13	61·6	99	20	1950
22·1	12	102·2	165	24	1940
23·1	26	63·1	102	18	1946
26·1	15	66·5	107	12	1945
27·2	3	88·3	142	22	1924
27·5	25	120·7	195	24	1920
28·2	16	133·7	216	20	1915
28·4	18	57·7	93	14	1926
28·7	20	68·4	110	15	1927
32·1	17	130·3	210	27	1936
35·3	29	72·4	117	11	1911
37·4	27	105·0	169	12	1921
37·8	26	66·1	107	14	1925
41·9	13	105·6	170	25	1932
44·0	7	95·8	155	17	1938

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date				
mm	mm				
3·0	18	10·9	15	6	1940
4·0	27	16·2	22	10	1945
5·2	24	15·3	21	11	1933
6·6	28	25·4	34	15	1911
7·0	1	31·2	42	17	1925
7·1	25	56·5	77	24	1941
7·3	27	55·8	76	19	1943
8·6	24	39·9	54	16	1906
8·8	2	79·6	108	22	1924
8·9	4	34·0	46	12	1920
8·9	14	54·4	74	21	1926
9·4	9	23·9	32	8	1913
9·6	1	59·5	81	15	1915
9·9	21	30·7	42	12	1909
10·1	18	24·6	33	11	1936
11·9	5	50·2	68	13	1918
12·0	13	33·1	45	11	1932
12·2	29	56·4	77	19	1907
12·6	2	41·8	57	12	1939
13·4	27	68·6	93	16	1916
13·6	5	60·4	82	21	1921
14·9	28	62·7	85	14	1953
15·8	19	59·1	80	20	1928
16·0	25	60·8	82	16	1919
18·4	18	55·8	76	12	1944
19·0	23	86·9	118	25	1951
19·6	1	77·3	105	19	1934
20·2	7	78·7	107	11	1931
21·7	29	102·7	139	21	1923
22·4	24	84·1	114	17	1942
22·4	7	67·3	91	16	1949
22·8	26	57·0	77	11	1935
22·9	25	133·2	181	24	1950
23·1	30	74·2	101	17	1904
23·1	7	50·9	69	15	1938
23·9	7	107·4	146	14	1952
24·9	3	92·7	126	21	1929
25·9	14	79·0	107	16	1914
26·4	18	120·4	163	23	1930
26·9	1	82·6	112	22	1910
28·3	6	81·5	111	16	1948
29·6	1	30·3	41	2	1947
29·9	13	81·0	110	12	1937
30·3	27	186·5	253	26	1917
31·6	15	174·6	237	21	1927
35·8	4	123·4	167	23	1912
35·8	12	136·9	186	23	1946
40·9	20	81·8	111	14	1908
42·7	30	104·4	142	18	1922
83·8	25	165·6	225	20	1905

Table II — Rainfall at Trinity College, Dublin
Greatest Fall in a Day in Ascending Order with Corresponding Rainfall Data
September

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date				
mm	mm				
3·2	26	14·3	30	8	1941
3·3	10	15·2	32	10	1910
4·0	28	8·2	17	7	1929
5·0	24	22·9	49	12	1915
5·0	5	19·0	40	12	1928
5·1	11	20·3	43	7	1906
5·5	9	22·5	48	14	1920
5·6	3	11·4	24	6	1907
6·6	24	29·2	62	13	1905
6·9	29	12·4	26	5	1912
6·9	19	31·4	67	13	1953
7·0	30	36·5	77	17	1937
7·1	22	21·5	46	7	1933
8·4	22	26·8	57	8	1949
8·5	17	45·2	96	19	1923
9·9	16	41·7	88	15	1947
10·2	3	49·3	104	15	1951
10·5	25	25·1	53	11	1911
10·7	28	31·0	66	14	1938
11·0	17	41·0	87	15	1917
11·1	16	47·4	100	15	1940
11·2	18	61·8	131	15	1922
11·3	8	37·2	79	12	1926
(11·7)	(16)	(28·9)	(61)	(10)	1914
11·8	22	49·8	106	16	1919
11·9	8	56·1	119	15	1908
12·2	10	82·9	176	20	1927
13·0	1	89·0	189	19	1935
13·4	2	56·3	119	14	1932
13·7	6	65·0	138	15	1936
14·7	12	33·0	70	6	1921
15·0	1	60·1	127	20	1948
15·1	17	55·6	118	20	1925
16·0	2	53·0	112	12	1916
17·5	16	68·4	145	20	1934
18·0	5	116·5	247	18	1944
18·3	27	46·7	99	14	1909
18·3	15	51·9	110	14	1945
19·3	6	92·6	196	22	1950
22·0	16	56·2	119	18	1943
24·4	28	98·4	208	18	1942
27·7	12	57·2	121	16	1904
29·4	28	65·0	138	15	1952
30·5	19	113·5	240	22	1946
31·9	15	116·5	247	22	1918
36·7	19	165·1	350	20	1930
38·0	7	135·6	287	19	1924
39·9	2	85·4	181	12	1939
40·6	19	108·2	229	10	1913
74·2	3	125·1	265	12	1931

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date				
mm	mm				
3·2	11	21·3	33	15	1922
3·2	9	15·6	24	9	1931
5·1	16	10·7	17	7	1904
5·1	27	10·7	17	6	1951
5·8	20	28·7	45	10	1908
5·9	13	23·6	37	12	1948
6·0	23	38·4	60	20	1942
7·4	30	43·6	68	18	1924
7·5	2	26·2	41	11	1905
7·5	21	18·8	29	9	1947
10·2	26	40·4	63	11	1912
10·3	31	54·6	86	20	1918
10·4	22	47·0	74	17	1921
11·5	30	33·7	53	12	1936
11·9	26	35·0	55	13	1953
12·6	12	74·3	116	20	1926
12·7	23	62·7	98	23	1909
12·9	23	38·2	60	11	1945
13·0	11	80·8	127	20	1906
13·1	31	31·2	49	9	1914
13·8	24	44·3	69	16	1934
14·5	10	70·3	110	21	1944
14·7	9	60·9	95	19	1935
14·8	26	51·2	80	21	1923
14·9	19	52·8	83	9	1946
15·0	17	49·9	78	14	1941
15·1	3	63·2	99	23	1917
15·2	21	56·6	89	21	1932
15·2	17	101·1	158	24	1938
17·1	13	84·4	132	20	1952
17·9	31	67·2	105	16	1943
18·0	19	55·6	87	15	1933
18·5	8	126·2	198	27	1907
18·6	2	146·0	229	24	1916
18·6	10	60·7	95	20	1928
18·7	7	59·1	93	21	1929
19·7	20	92·2	145	18	1911
20·1	17	90·1	141	24	1930
21·7	19	107·7	169	18	1915
21·7	6	149·4	234	16	1920
22·1	7	91·4	143	16	1913
22·2	4	87·5	137	21	1939
23·1	19	62·5	98	22	1925
24·0	21	72·4	113	18	1950
25·3	25	80·2	126	17	1949
25·6	23	54·4	85	14	1919
28·4	2	52·1	82	14	1910
29·8	9	130·8	205	19	1940
32·6	21	68·4	107	14	1927
38·3	25	93·0	146	12	1937

Table II — Rainfall at Trinity College, Dublin
Greatest Fall in a Day in Ascending Order with Corresponding Rainfall Data
November

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date				
mm	mm				
2·3	6	6·6	10	9	1922
2·8	12	11·5	17	9	1945
4·4	10	11·2	17	7	1942
4·9	17	23·5	35	13	1933
5·8	12	32·3	49	15	1948
7·1	7	35·3	53	17	1906
7·4	11	78·0	118	19	1914
8·2	24	26·4	40	10	1932
8·6	13	29·5	44	12	1908
8·7	11	62·0	94	22	1947
8·9	4	33·8	51	13	1912
9·3	8	43·8	66	20	1949
9·8	18	49·6	75	18	1950
9·9	6	28·2	43	9	1904
10·1	11	37·2	56	18	1917
11·4	20	79·0	119	23	1941
12·1	28	47·8	72	21	1923
12·3	1	61·1	92	18	1921
12·6	15	68·9	104	23	1919
13·2	26	63·0	95	13	1907
13·4	17	57·0	86	15	1927
13·5	9	48·5	73	12	1934
13·7	7	53·6	81	18	1913
14·1	28	77·2	116	16	1946
14·7	12	70·9	107	19	1911
14·7	4	86·5	130	23	1939
15·5	22	66·5	100	14	1910
15·9	20	78·0	118	16	1952
16·9	3	104·4	157	21	1931
17·0	18	88·8	134	26	1926
17·3	13	33·0	50	10	1909
17·7	13	47·1	71	15	1953
17·8	1	92·7	140	19	1905
18·0	26	56·6	85	13	1924
18·1	23	55·6	84	15	1930
18·4	2	81·4	123	20	1928
19·6	5	83·6	126	18	1940
19·7	15	118·5	179	26	1929
20·0	18	115·0	173	20	1944
21·3	22	49·6	75	14	1937
22·3	2	67·0	101	19	1943
23·0	20	85·3	129	15	1935
23·0	11	61·2	92	18	1936
25·2	27	58·1	88	14	1920
26·5	6	78·7	119	16	1925
27·4	12	68·0	103	16	1938
30·3	1	60·0	90	12	1918
37·4	4	114·6	173	21	1951
39·4	17	142·6	215	17	1916
51·4	12	100·2	151	8	1915

Greatest Fall in a Day		Total	Percentage of Average 1881–1915	Number of Days with 0·2 mm or more	Year
Amount	Date				
mm	mm				
5·8	18	27·4	46	13	1905
6·4	29	49·5	68	20	1923
6·6	2	21·3	36	13	1931
7·7	24	37·1	62	18	1935
7·7	20	34·9	58	14	1943
8·0	31	45·2	76	18	1940
8·3	13	41·9	70	18	1922
8·3	4	20·0	34	10	1926
9·9	9	36·1	60	16	1904
9·9	15	45·2	76	17	1906
10·0	12	61·4	103	21	1949
10·7	25	51·8	87	20	1912
11·2	15	64·7	108	19	1928
11·3	12	69·3	116	24	1916
11·6	1	43·1	72	20	1937
11·7	3	31·7	53	15	1953
11·8	15	60·8	102	22	1918
12·0	25	45·7	77	20	1925
12·3	6	54·2	91	16	1952
12·5	16	46·6	78	16	1944
12·7	29	46·7	78	17	1920
12·9	8	86·0	144	20	1951
13·0	3	114·3	191	25	1915
13·2	3	45·2	76	11	1913
13·5	19	51·6	86	17	1907
14·1	27	37·4	63	14	1933
14·2	11	58·0	97	17	1936
14·6	14	90·4	151	26	1919
14·6	13	43·8	73	14	1939
14·7	28	38·9	65	13	1908
15·3	15	74·7	125	19	1942
16·0	2	116·3	195	22	1924
16·1	16	62·3	104	17	1917
16·2	10	70·8	119	19	1946
17·4	10	80·7	135	17	1938
17·4	27	33·3	56	11	1941
18·7	6	77·0	129	15	1945
18·8	20	147·3	247	26	1929
19·1	14	94·0	157	24	1911
20·0	21	60·9	102	15	1927
20·3	10	62·7	105	16	1930
20·8	1	133·6	224	25	1910
22·0	26	111·7	187	19	1948
22·5	27	58·5	98	15	1921
24·5	26	50·7	85	20	1950
24·9	4	95·3	160	14	1947
25·1	5	106·7	179	20	1909
25·6	18	93·3	156	21	1932
26·2	4	118·1	198	26	1934
28·2	11	151·4	254	19	1914