

1. Papers in refereed journals

1. Pěč, K. and Martinec, Z., 1982. Expansion of geoid heights into a spherical harmonic series. *Studia Geoph. et Geod.*, **26**, 115–119.
2. Pěč, K. and Martinec, Z., 1983. Expansion of geoid heights over a triaxial Earth's ellipsoid into a spherical harmonic series. *Studia Geoph. et Geod.*, **27**, 217–232.
3. Pěč, K. and Martinec, Z., 1984. Constraints to three dimensional non-hydrostatic density distribution in the Earth. *Studia Geoph. et Geod.*, **28**, 364–380.
4. Martinec, Z., 1984. Free oscillations of the Earth. *Travaux geoph.*, **591**, XXXII, 117–236.
5. Martinec, Z. and Pěč, K., 1985. Matrix approach to the solution of free toroidal elastic oscillations of the Earth. *Studia Geoph. et Geod.*, **29**, 163–168.
6. Martinec, Z. and Pěč, K., 1985. Expansions of the double product of the global gravity field. *Studia Geoph. et Geod.*, **29**, 211–219.
7. Pěč, K. and Martinec, Z., 1985. An analytical model of the seismic travel times for a spherically asymmetric Earth. *Studia Geoph. et Geod.*, **29**, 220–227.
8. Pěč, K., Martinec, Z. and Pěčová, J., 1985. Matrix approach to the solution of electromagnetic induction in a spherically layered Earth. *Studia Geoph. et Geod.*, **29**, 139–162.
9. Martinec, Z. and Pěč, K., 1986. Normal density Earth model. *Studia Geoph. et Geod.*, **30**, 124–147.
10. Pěč, K. and Martinec, Z., 1986. Spectral theory of electromagnetic induction in a radially and laterally inhomogeneous Earth. *Studia Geoph. et Geod.*, **30**, 345–355.
11. Martinec, Z. and Pěč, K., 1987. Global geoidal undulations as inferred from the Bruns formula and from inversion of the geopotential series. *Studia Geoph. et Geod.*, **31**, 228–251.
12. Pěčová, J., Martinec, Z. and Pěč, K., 1987. Appreciation of spherically symmetric models of electrical conductivity. *Pure Appl. Geophys.*, **125**, 291–318.
13. Martinec, Z. and Pěč, K., 1988. A determination of the parameters of the level surface of lunar gravity. *Earth, Moon and Planets*, **143**, 21–31.
14. Pěč, K. and Martinec, Z., 1988. Gravitational potential inside 3-D inhomogeneous Earth: a boundary-value problem for the Poisson equation. *Studia Geoph. et Geod.*, **32**, 32–46.
15. Martinec, Z., 1989. Thomson-Haskell matrix method for free spheroidal elastic oscillations. *Geoph. J. Int.*, **98**, 195–199.
16. Martinec, Z., 1989. Program to calculate the spectral harmonic expansion coefficients of the two scalar fields product. *Computer Physics Communications*, **54**, 177–182.
17. Martinec, Z., Pěč, K. and Burša, M., 1989. The Phobos gravitational field modeled on the basis of its topography. *Earth, Moon, and Planets*, **145**, 219–235.
18. Martinec, Z., 1990. A refined method of recovering potential coefficients from surface gravity data. *Studia Geoph. et Geod.*, **34**, 313–326.
19. Burša, M., Martinec, Z. and Pěč, K., 1990. Principal moments of inertia, secular Love number and origin of Phobos. *Adv. Space Rev.*, **10**, (3-4), 67–70.

20. Martinec, Z., 1991. Program to calculate the least-squares estimates of the spherical harmonic expansion coefficients of an equally angular-gridded scalar field. *Computer Physics Communications*, **64**, 140–148.
21. Martinec, Z., 1991. On the accuracy of method of condensation of the Earth's topography. *Man. Geod.*, **16**, 288–294.
22. Čadek, O. and Martinec, Z., 1991. Spherical harmonic expansion of the Earth's crustal thickness up to degree and order 30. *Studia Geoph. et Geod.*, **35**, 151–165.
23. Pěč, K., Pěčová, J. and Martinec, Z., 1991. Influence of high electrical conductivity layer on electromagnetic induction in the spherical Earth. *J. Geomag. Geoelectr.*, **43**, 295–306.
24. Martinec, Z., 1992. The static, potential free Love numbers for the homogeneous Earth's model bounded by an irregular surface. *Man. Geod.*, **17**, 186–200.
25. Čadek, O., Martinec, Z. and Matyska, C., 1992. Spectral variational approach to the non-Newtonian Stokes problem in a spherical shell. *Computer Physics Communications*, **71**, 56–70.
26. Martinec, Z., 1993. A model of compensation of topographic masses. *Surveys in Geoph.*, **14**, 525–535.
27. Martinec, Z., Čadek, O., Matyska, C. and Hrdina, P., 1993. The Stokes problem with 3D Newtonian rheology in a spherical shell. *Computer Physics Communications*, **76**, 63–79.
28. Martinec, Z., Matyska, C., Grafarend, E. W. and Vaníček, P., 1993. On Helmert's 2nd condensation method. *Man. Geod.*, **18**, 417–421.
29. Čadek, O., Ricard, Y., Martinec, Z. and Matyska, C., 1993. Comparison between Newtonian and non-Newtonian flow driven by internal loads. *Geophys. J. Int.*, **112**, 103–114.
30. Martinec, Z., 1994. The density contrast at the Mohorovičić discontinuity. *Geophys. J. Int.*, **117**, 539–544.
31. Martinec, Z., 1994. The minimum depth of compensation of topographic masses. *Geophys. J. Int.*, **117**, 545–554.
32. Martinec, Z. and Vaníček, P., 1994. The indirect effect of topography in the Stokes-Helmert technique for a spherical approximation of the geoid. *Man. Geod.*, **19**, 213–219.
33. Martinec, Z. and Vaníček, P., 1994. Direct topographical effect of Helmert's condensation for a spherical approximation of the geoid. *Man. Geod.*, **19**, 257–268.
34. Vaníček, P. and Martinec, Z., 1994. The Stokes-Helmert scheme for the evaluation of a precise geoid. *Man. Geod.*, **19**, 119–128.
35. Martinec, Z., 1995. Numerical stability of the least squares solution of the discrete altimetry gravimetry boundary-value problem for determination of the global gravity model. *Geophys. J. Int.*, **123**, 715–726.
36. Martinec, Z., Vaníček, P., Mainville, A. and Véronneau, M., 1995. The effect of lake water on geoidal height. *Man. Geod.*, **20**, 193–203.
37. Vaníček, P., Najafi, M., Martinec, Z. and Harrie, L., 1995. Higher-degree reference field in the generalized Stokes-Helmert scheme for geoid computation. *J. Geod.*, **70**, 176–182.
38. Martinec, Z., 1996. Stability investigations of a discrete downward continuation problem for geoid determination in the Canadian Rocky Mountains. *J. Geod.*, **70**, 805–828.

39. Martinec, Z. and Vaníček, P., 1996. Formulation of the boundary-value problem for geoid determination with a higher-degree reference field. *Geophys. J. Int.*, **126**, 219–228.
40. Martinec, Z., Vaníček, P., Mainville, A. and Véronneau, M., 1996. Evaluation of topographical effects in precise geoid computation from densely sampled heights. *J. Geod.*, **70**, 746–754.
41. Vaníček, P., Sun, W., Ong, P., Martinec, Z., Vajda, P. and Horst, B., 1996. Downward continuation of Helmert’s gravity. *J. Geod.*, **71**, 21–34.
42. Martinec, Z., 1997. Spectral-finite-element approach to two-dimensional electromagnetic induction in a spherical earth. *Geophys. J. Int.*, **130**, 583–594.
43. Martinec, Z. and Grafarend, E. W., 1997. Solution to the Stokes boundary-value problem on an ellipsoid of revolution. *Studia Geoph. et Geod.*, **41**, 103–129.
44. Martinec, Z. and Grafarend, E. W., 1997. Construction of Green’s function to the external Dirichlet boundary-value problem for the Laplace equation on an ellipsoid of revolution. *J. Geod.*, **71**, 562–570.
45. Martinec, Z. and Matyska, C., 1997. On the solvability of the Stokes pseudo-boundary-value problem for geoid determination. *J. Geod.*, **71**, 103–112.
46. Martinec, Z., 1998. Geomagnetic induction in multiple eccentrically nested spheres. *Geophys. J. Int.*, **132**, 96–110.
47. Martinec, Z., 1998. Construction of Green’s function to the Stokes boundary-value problem with ellipsoidal corrections in the boundary condition. *J. Geod.*, **72**, 460–472.
48. Martinec, Z., 1999. Spectral-finite element approach to three-dimensional electromagnetic induction in a spherical Earth. *Geophys. J. Int.*, **136**, 229–250.
49. Martinec, Z., 1999. Spectral, initial value approach for viscoelastic relaxation of a spherical earth with a three-dimensional viscosity – I. Theory. *Geophys. J. Int.*, **137**, 469–488.
50. Martinec, Z. and Wolf, D., 1999. Gravitational viscoelastic relaxation of eccentrically nested spheres. *Geophys. J. Int.*, **138**, 45–66.
51. Průša, L. and Martinec, Z., 1999. Spherical harmonic analysis of geomagnetic variations observatory data up to degree 4 in the range of periods from 5 to 40 days. *Phys. Earth Planet. Inter.*, **115**, 229–245.
52. Vaníček, P., Huang, J., Novák, P., Pagiatakis, S., Véronneau, M., Martinec, Z. and Featherstone, W. E., 1999. Determination of the boundary values for the Stokes-Helmert problem. *J. Geod.*, **73**, 180–192.
53. Martinec, Z., 2000. Spectral-finite element approach to three-dimensional viscoelastic relaxation in a spherical earth. *Geophys. J. Int.*, **142**, 117–141.
54. Ardestani, V. E. and Martinec, Z., 2000. Geoid determination through ellipsoidal Stokes boundary-value problem. *Studia Geoph. et Geod.*, **44**, 353–363.
55. Martinec, Z., Thoma, M. and Wolf, D., 2001. Material versus local incompressibility and its influence on glacial-isostatic adjustment. *Geophys. J. Int.*, **144**, 136–156.
56. Vaníček, P., Novák, P. and Martinec, Z., 2001. Geoid, topography, and the Bouguer plate or shell. *J. Geod.*, **75**, 210–215.
57. Novák, P., Vaníček, P., Martinec, Z. and Véronneau, M., 2001. Effects of the spherical terrain on gravity and the geoid. *J. Geod.*, **75**, 491–504.

58. Ardestani, V. E. and Martinec, Z., 2001. Ellipsoidal Stokes boundary-value problem with ellipsoidal corrections in the boundary condition. *Studia Geoph. et Geod.*, **45**, 109–126.
59. Martinec, Z., Čadek, O. and Fleitout, L., 2001. Can the 1D viscosity profiles inferred from postglacial rebound data be affected by lateral viscosity variations in the tectosphere? *Geophys. Res. Lett.*, **28**, 4403–4406.
60. Martinec, Z., 2002. Semi-analytical solution for the viscoelastic relaxation in spherical earth with an axisymmetric craton. *Acta Geod. Geoph. Hung.*, **37**, 61–78.
61. Martinec, Z. and Grafarend, E. W., 2002. Separability conditions for the vector Helmholtz equation. *Boll. Geod. Scien. Aff.*, **LXI**, 53–61.
62. Martinec, Z., 2003. Green’s function solution to spherical gradiometric boundary-value problems. *J. Geod.*, **77**, 41–49.
63. Martinec, Z., Everett, M.E. and Velínský, J., 2003. Time-domain, spectral finite-element approach to transient 2-D geomagnetic induction in a spherical heterogeneous Earth. *Geophys. J. Int.*, **155**, 33–43.
64. Ardestani, V. E. and Martinec, Z., 2003. Geoid determination through ellipsoidal Stokes boundary-value problem by splitting its solution to the low-degree and high-degree parts. *Studia Geoph. et Geod.*, **47**, 73–82.
65. Ardestani, V. E. and Martinec, Z., 2003. Far-zone contribution in ellipsoidal Stokes boundary-value problem. *Studia Geoph. et Geod.*, **47**, 719–723.
66. Everett, M.E. and Martinec, Z., 2003. Spatiotemporal response of a conducting sphere under simulated geomagnetic storm conditions. *Phys. Earth Planet. Inter.*, **138**, 163–181.
67. Grafarend, E. and Martinec, Z., 2003. Comments on ‘Solution of the Dirichlet and Stokes exterior boundary problems for the Earth’s ellipsoid’ by V.V.Brovar, Z.S.Kopeikina, M.V.Pavlova, - *Journal of Geodesy* (2001), 74:767-772. *J. Geod.*, **77**, 357–357.
68. Velínský, J., Everett, M.E. and Martinec, Z., 2003. The transient Dst electromagnetic induction signal at satellite altitudes for a realistic 3-D electrical conductivity in the crust and mantle. *Geophys. Res. Lett.*, **30**, Art No. 1355, doi:10.1029/2002GL016671, 7-1–7-4.
69. Martinec, Z. and McCreadie, H., 2004. Electromagnetic induction modelling based on satellite magnetic vector data. *Geophys. J. Int.*, **157**, 1045–1060.
70. Fleming, K., Martinec, Z. and Hagedoorn, J., 2004. Geoid displacement about Greenland resulting from past and present-day mass changes in the Greenland ice sheet. *Geophys. Res. Lett.*, **31**, L06617, doi:10.1029/2004GL019469.
71. Vaníček, P., Tenzer, R., Sjöberg, L.E., Martinec, Z. and Featherstone, W.E., 2004. New views of the spherical Bouguer gravity anomaly. *Geophys. J. Int.*, **159**, 460–472.
72. Martinec, Z. and Hagedoorn, J., 2005. Time-domain approach to linearized rotational response of a three-dimensional viscoelastic earth model induced by glacial isostatic adjustment: I. Inertia-tensor perturbations. *Geophys. J. Int.*, **163**, 443–462.
73. Martinec, Z. and Wolf, D., 2005. Inverting the Fennoscandian relaxation-time spectrum in terms of an axisymmetric viscosity distribution with a lithospheric root. *J. Geodyn.*, **39**, 143–163.
74. Velínský, J. and Martinec, Z., 2005. Time-domain, spherical harmonic-finite element approach to transient three-dimensional geomagnetic induction in a spherical heterogeneous Earth. *Geophys. J. Int.*, **161**, 81–101.

75. Sasgen, I., Martinec, Z. and Fleming, K., 2006. Wiener optimal filtering of GRACE data. *Studia Geophys. Geod.*, **50**, 499–508.
76. Velínský, J., Martinec, Z. and Everett, M.E., 2006. Electrical conductivity in the Earth's mantle inferred from CHAMP satellite measurements — I. Data processing and 1-D inversion. *Geophys. J. Int.*, **166**, 529–542.
77. Martinec, Z., 2007. Propagator-matrix technique for the viscoelastic response of a multi-layered sphere to surface toroidal traction. *Pure Appl. Geophys.*, **164**, 663–681.
78. Fleming, K., Martinec, Z. and Wolf, D., 2007. Glacial-isostatic adjustment and the viscosity structure underlying Vatnajökull ice cap, Iceland. *Pure Appl. Geophys.*, **164**, 751–768.
79. Hagedoorn, J.M., Wolf, D. and Martinec, Z., 2007. An estimate of global sea-level rise inferred from tide-gauge measurements using glacial isostatic models consistent with the relative sea-level record. *Pure Appl. Geophys.*, **164**, 791–818.
80. Klemann, V., Ivins, E., Martinec, Z. and Wolf, D., 2007. Models of active glacial isostasy roofing warm subduction: Case of the South Patagonian Ice Field. *J. Geophys. Res.*, **112**, B09405, doi:10.1029/2006JB004818, 1-8.
81. Sasgen, I., Martinec, Z. and Fleming, K., 2007. Wiener optimal combination and evaluation of the GRACE gravity fields over Antarctica. *J. Geophys. Res.*, **112**, B04401, doi:10.1029/2006JB00465, 1-9.
82. Sasgen, I., Martinec, Z. and Fleming, K., 2007. Regional ice-mass changes and glacial-isostatic adjustment in Antarctica from GRACE. *Earth Planet. Sci. Lett.*, **264**, 391–401.
83. Tosi, N. and Martinec, Z., 2007. Semi-analytical solution for viscous Stokes flow in two eccentrically nested spheres. *Geophys. J. Int.*, **170**, 1015–1030.
84. Klemann, V., Martinec, Z. and Ivins, E., 2008. Glacial isostasy and plate motion. *J. Geodyn.*, **46**, 95–103, doi:10.1016/j.jog.2008.04.005.
85. Souček, O. and Martinec, Z., 2008. Iterative improvement of the shallow-ice approximation. *J. Glaciol.*, **54**, 812–822.
86. Tanaka, Y., Klemann, V., Fleming, K. and Martinec, Z., 2009. Spectral finite element approach to postseismic deformation in a viscoelastic self-gravitating spherical earth. *Geophys. J. Int.*, **176**, 715–739, doi: 10.1111/j.1365-246X.2008.04015.x.
87. Tosi, N., Čadek, O., Martinec, Z., Yuen, D. and Kaufmann, G., 2009. Is the long-wavelength geoid sensitive to the presence of postperovskite above the core-mantle boundary? *Geophys. Res. Lett.*, **36**, L05303, doi:10.1029/2008GL036902.
88. Martinec, Z., 2009. Viscoelastic response of eccentrically-nested spheres to surface toroidal traction. *Pure Appl. Geophys.*, **166**, 1167–1197, doi: 10.1007/s00024-009-0492-2
89. Tosi, N., Čadek, O., Martinec, Z., 2009. Subducted slabs and lateral viscosity variations: effects on the long-wavelength geoid. *Geophys. J. Int.*, **179**, 813–826, doi: 10.1111/j.1365-246X.2009.04335.x
90. Martinec, Z. and Velínský, J., 2009. The adjoint sensitivity method of global electromagnetic induction for CHAMP magnetic data. *Geophys. J. Int.*, **179**, 1372–1396, doi: 10.1111/j.1365-246X.2009.04356.x.
91. Sasgen, I., Martinec, Z. and Bamber, J., 2010. Combined GRACE and InSAR estimate of West Antarctic ice-mass loss. *J. Geophys. Res.*, **115**, F04010, doi:10.1029/2009JF001525

92. Sasgen, I., Dobslaw, H., Martinec, Z. and Thomas, M., 2010. Satellite gravimetry observation of Antarctic snow accumulation related to ENSO. *Earth Planet. Sci. Lett.*, **299**, 352-358, doi: 10.1016/j.epsl.2010.09.015.
93. Tanaka, Y., Klemann, V., Martinec, Z. and Riva, R.E.M., 2011. Spectral-finite element approach to viscoelastic relaxation in a spherical compressible Earth: application to GIA modelling. *Geophys. J. Int.*, **184**, 220–234, doi: 10.1111/j.1365-246X.2010.04854.x.
94. Rogozhina, I., Martinec, Z., Hagedoorn, J. M., Thomas, M. and Fleming, K., 2011. On the long-term memory of the Greenland Ice Sheet. *J. Geophys. Res.*, **116**, F01011, doi:10.1029/2010JF001787.
95. Spada, G., Barletta, V.R., Klemann, V., Riva, R.E.M., Martinec, Z., Gasperini, P., Lund, B., Wolf, D., Vermeersen, L.L.A. and King, M., 2011. A benchmark study for glacial isostatic adjustment codes. *Geophys. J. Int.*, **185**, 106-132, doi: 10.1111/j.1365-246X.2011.04952.x.
96. Klemann, V. and Martinec, Z., 2011. Contribution of glacial-isostatic adjustment to the geocenter motion. *Tectonophysics*, **511**, 99–108, doi:10.1016/j.tecto.2009.08.031.
97. Souček, O., Martinec, Z. and Velímský, J., 2011. Vector potential formulation of a quasi-static EM induction problem: existence, uniqueness and stability of the weak solution. *Int. J. Geomath.*, **2**, 265–279, doi 10.1007/s13137-011-0019-9.
98. Souček, O. and Martinec, Z., 2011. ISMIP-HEINO experiment revised: effect of higher-order approximation and sensitivity study. *J. Glaciol.*, **57**, 1158–1170.
99. Dostal, J., Martinec, Z., Thomas, M., 2012. The modelling of the toroidal magnetic field induced by tidal ocean circulation. *Geophys. J. Int.*, **189**, 782–798, doi: 10.1111/j.1365-246X.2012.05407.x
100. Rogozhina, I., Hagedoorn, J. M., Martinec, Z., Fleming, K., Souček, O., Greve, R., Thomas, M., 2012. Effects of uncertainties in the geothermal heat flux distribution on the Greenland Ice Sheet: An assessment of existing heat flow models. *J. Geophys. Res.*, **117**, F02025, doi:10.1029/2011JF002098.
101. Sasgen, I., van den Broeke, M., Bamber, J.L., Rignot, E., Srensen, L.S., Wouters, B., Martinec, Z., Velicogna, I. and Simonsen, S. B., 2012. Timing and origin of recent regional ice-mass loss in Greenland. *Earth Planet. Sci. Lett.*, **333–334**, 293–303, doi: 10.1016/j.epsl.2012.03.033.
102. Sasgen, I., Klemann, V., Martinec, Z., 2012. Towards the inversion of GRACE gravity fields for present-day ice-mass changes and glacial-isostatic adjustment in North America and Greenland. *J. Geodyn.*, **59–60**, 49-63, doi: 10.1016/j.jog.2012.03.004.
103. Vaníček, P., Kingdon, R., Kuhn, M., Ellmann, A., Featherstone, W. E., Santos, M. C., Martinec, Z., Hirt, C., Avalos, D., 2013. Testing Stokes-Helmert geoid model computation on a synthetic gravity field: experiences and shortcomings, *Studia Geophys. Geod.*, **57**, 369–400.
104. Sasgen, I., Konrad, H., Ivins, E. R., Van den Broeke, M. R., Bamber, J., Martinec, Z., Klemann, V., 2013. Antarctic ice-mass balance 2003 to 2012: regional reanalysis of GRACE satellite gravimetry measurements with improved estimate of glacial-isostatic adjustment based on GPS uplift rates. *The Cryosphere*, **7**, 1499–1512, doi:10.5194/tc-7-1499-2013.
105. Martinec, Z., 2014. Mass-density Green's functions for the gravitational gradient tensor at different heights. *Geophys. J. Int.*, **196**, 1455–1465, doi: 10.1093/gji/ggt495.
106. Kelbert, A., Kuvshinov, A., Velímský, J., Koyama, T., Ribaud, J., Sun, J., Martinec, Z. and Weiss, C.J., 2014. Global 3-D electromagnetic forward modeling: a benchmark study. *Geophys. J. Int.*, **197**, 785–814, doi: 10.1093/gji/ggu028.

107. Konrad, H., Thoma, M., Sasgen, I., Klemann, V., Grosfeld, K., Barbi, D., Martinec, Z., 2014. The deformational response of a viscoelastic solid Earth model coupled to a thermomechanical ice sheet model. *Surv. Geophys.*, **35**, 1441–1458, doi: 10.1007/s10712-013-9257-8.
108. Martinec, Z., Hagedoorn, J., 2014. The rotational feedback on linear-momentum balance in glacial isostatic adjustment. *Geophys. J. Int.*, **199**, 1823–1846, doi: 10.1093/gji/ggu369.
109. Martinec, Z., Sasgen, I., Velínský, J., 2015. The forward sensitivity and adjoint-state methods of glacial isostatic adjustment. *Geophys. J. Int.*, **200**, 77–105, doi: 10.1093/gji/ggu378.
110. Tanaka, Y., Hasegawa, T., Tsuruoka, H., Klemann, V., Martinec, Z., 2015. Spectral-finite element approach to post-seismic relaxation in a spherical compressible Earth: application to gravity changes due to the 2004 Sumatra–Andaman earthquake. *Geophys. J. Int.*, **200**, 299–321, doi: 10.1093/gji/ggu391.
111. Fullea, J., Rodríguez-González, J., Charco, M., Martinec, Z., Negredo, A., Villaseñor, A., 2015. Perturbing effects of sub-lithospheric mass anomalies in GOCE gravity gradient and other gravity data modelling: Application to the Atlantic-Mediterranean transition zone. *Int. J. Appl. Earth Observation & Geoinformation*, **35**, 54–69, doi: 10.1016/j.jag.2014.02.003.
112. Martinec, Z., Fullea, J., 2015. A refined model of sedimentary rock cover in the southeastern part of the Congo basin from GOCE gravity and vertical gravity gradient observations. *Int. J. Appl. Earth Observation & Geoinformation*, **35**, 70–87, doi: 10.1016/j.jag.2014.03.001.
113. Hagedoorn, J., Martinec, Z., 2015. The adjoint-state method for the downward continuation of the geomagnetic field. *Geophys. J. Int.*, **201**, 724–740, doi: 10.1093/gji/ggv049.
114. Dill, R., Klemann, V., Martinec, Z., Tesauro, M., 2015. Applying local Green’s functions to study the influence of the crustal structure on hydrological loading displacements. *J. Geodyn.*, **88**, 14–22.
115. Einšpigel, D., Martinec, Z., 2015. A new derivation of the shallow water equations in geographical coordinates and their application to the global barotropic ocean model (the DEBOT model). *Ocean Modelling*, **92**, 85–100.

1.1 Papers submitted to international journals

116. Konrad, H., Sasgen, I., Klemann, V., Thoma, M., Grosfeld, K., Martinec, Z. Sensitivity of grounding-line dynamics to viscoelastic deformation of the solid Earth in an idealized scenario. *Polarforschung*, **85**, 2 (accepted, Dec 9, 2015).

2. Theses

117. Martinec, Z., 1976. Methods of filtering of time sequences in geophysics. Diploma thesis, MFF UK, Praha, pp. 72 (in Czech).
118. Martinec, Z., 1979. Free oscillations of the Earth. RNDr. thesis, MFF UK Praha, pp. 110, (in Czech).
119. Martinec, Z., 1982. Free oscillations of the Earth. CSc. thesis, MFF UK Praha, pp. 235, (in Czech).
120. Martinec, Z., 1991. On the gravitational compensation of topographic masses. Associate Professor Thesis, Dept. of Geophysics, Faculty of Math. & Physics, Charles Univ., Prague, pp. 66.

121. Martinec, Z., 1995. Boundary-value problems for gravimetric determination of a precise geoid. DrSc. thesis, Faculty of Math. & Physics, Charles Univ., Prague, pp. 159.

3. Monograph

122. Martinec, Z., 1998. *Boundary-Value Problems for Gravimetric Determination of a Precise Geoid*. Lecture Notes in Earth Sciences, Springer Verlag, Heidelberg, pp. 223.

4. Monograph chapters

123. Martinec, Z. and Pěč, K., 1988. Linearized inverse approach to determination of explicit form of geoid radius. In: *Model Optimization in Exploration Geophysics 2*, eds. A.Vogel, Friedr. Vieweg & Sohn, Braunschweig, 199–212.
124. Martinec, Z. and Pěč, K., 1989. 3D-Earth's density model inferred from the external gravitational field. In: *Inverse Modeling in Exploration Geophysics*, eds. A.Vogel, R.Gorenflo, B.Kummer and Ch.Ofoegbu, Friedr. Vieweg & Sohn, Braunschweig, 65–78.
125. Martinec, Z., 1990. The influence of the core-mantle boundary irregularities on the mass density distribution inside the Earth. In: *Geophysical Data Inversion Methods and Applications*, eds. A.Vogel, R.Gorenflo, B.Ursin and Ch.Ofoegbu, Friedr. Vieweg & Sohn, Friedr. Vieweg & Sohn, Braunschweig, 233–256.
126. Martinec, Z., 1993. A recovery of the potential coefficients from the boundary condition for the disturbing gravitational potential. In: *Geophysical Data Interpretation by Inverse Modeling*, eds. A.Vogel, R.Gorenflo, W.Webers, R.S.Rutman, Friedr. Vieweg & Sohn, Braunschweig, 139–149.
127. Martinec, Z., 1993. Inversion Technique. In: *Geoid and Its Geophysical Interpretation*, eds. P.Vaniček and N.Christou, CRC Press, Boca Raton, Fla, 125–145.
128. Engels, J., Grafarend, E. W., Keller, W., Martinec, Z., Sansó, F. and Vaniček, P., 1993. The geoid as an inverse problem to be regularized. In: *Inverse Problems: Principles and Applications in Geophysics, Technology and Medicine*, eds. G. Anger, R. Gorenflo, H. Jochmann, H. Moritz and W. Webers, Akademie-Verlag, Berlin, 122–167.
129. Martinec, Z., 2003. Stokes's two-boundary-value problem. In: *Geodesy, the Challenge of the 3rd Millennium*, eds. E. Grafarend, F. Krumm, V. Schwarze, Springer Verlag, Berlin-Heidelberg, 447–453.
130. Martinec, Z. and Everett, M.E., 2003. Two-dimensional spatiotemporal modelling of satellite electromagnetic induction signals. In: *First CHAMP Mission Results for Gravity, Magnetic and Atmosphere Studies*, eds. C. Reigber, H. Lühr and P. Schwintzer, Springer-Verlag, Berlin-Heildeberg, 321–327.
131. Fleming, K., Martinec, Z., Hagedoorn, J. and Wolf., D., 2005. Contemporary changes in the geoid about Greenland: Predictions relevant to gravity space missions. In: *Earth Observation with CHAMP. Results from Three Years in Orbit*, eds. C. Reigber, H. Lühr, P. Schwintzer and J. Wickert, Springer-Verlag, Berlin-Heildeberg, 217–222.
132. McCreddie, H. and Martinec, Z., 2005. Geomagnetic induction modelling based on CHAMP magnetic vector data. In: *Earth Observation with CHAMP. Results from Three Years in Orbit*, eds. C. Reigber, H. Lühr, P. Schwintzer and J. Wickert, Springer-Verlag, Berlin-Heildeberg, 335–340.

133. Martinec, Z., 2010. The Forward and Adjoint Methods of Global Electromagnetic Induction for CHAMP Magnetic Data. Handbook of Geomathematics, Springer-Verlag Berlin Heidelberg, 565–624.
134. Grafarend, E.W., Klapp, M., Martinec, Z., 2010. Spacetime Modeling of the Earth’s Gravity Field by Ellipsoidal Harmonics. Handbook of Geomathematics, Springer-Verlag Berlin Heidelberg, 159–252.
135. Martinec, Z., 2015. The Forward and Adjoint Methods of Global Electromagnetic Induction for CHAMP Magnetic Data. Handbook of Geomathematics, Springer-Verlag Berlin Heidelberg, 985–1055.
136. Grafarend, E.W., Klapp, M., Martinec, Z., 2015. Spacetime Modeling of the Earth’s Gravity Field by Ellipsoidal Harmonics. Handbook of Geomathematics, Springer-Verlag Berlin Heidelberg, 381–496.

5. Scientific reports

137. Martinec, Z. and Pěč, K., 1997. Maximum entropy spectra. Wiener’s multivariate filter. Research report, MFF UK Praha, **34**, pp. 42, (in Czech).
138. Pěč, K. and Martinec, Z., 1978. Complex cepstrum. Computation and application to seismology. Research report, MFF UK Praha, **41**, pp. 39, (in Czech).
139. Martinec, Z., 1983. Maximum entropy power spectrum. Research report E010, MFF UK, Praha, pp. 42, (in Czech).
140. Martinec, Z. and Pěč, K., 1983. Autoregressive representation and simulation of accelerograms (Program ARZ). Research report, MFF UK, Praha, pp. 51, (in Czech).
141. Klimeš, L., Martinec, Z., Pěč, K. and Šílený, J., 1985. Location procedure of the earthquakes in a local seismic array. Research report, MFF UK, Praha, pp. 56, (in Czech).
142. Martinec, Z., Pěč, K., Pěčová, J. and Praus, O., 1986. Multivariate spectral analysis methods and determination of transfer functions in a local seismic and magnetometric network. Research report, MFF UK, Praha, pp. 61, (in Czech).
143. Martinec, Z., 1992. The role of the irregularities of the Earth’s topography on the tidally induced elastic stress distribution within the Earth. *Technical Report*, **16**, Institute of Geodesy, University of Stuttgart, Stuttgart, pp. 48.
144. Martinec, Z., 1993. Gravitational effect of residual topographical masses in the Stokes-Helmert technique for geoid determination. Progress report No.1 of the contract DSS No. 23244-2-4356/01-SS, Geodetic Survey of Canada, Ottawa, pp. 27.
145. Martinec, Z., 1993. The first and second indirect topographical effect. Progress report No.2 of the contract DSS No. 23244-2-4356/01-SS, Geodetic Survey of Canada, Ottawa, pp. 38.
146. Martinec, Z., 1993. The direct topographical effect on gravity. Stokes’s integration. Progress report No.3 of the contract DSS No. 23244-2-4356/01-SS, Geodetic Survey of Canada, Ottawa, pp. 44.
147. Martinec, Z., 1993. Effect of lateral density variations of topographical masses in view of improving geoid model accuracy over Canada. Final report of the contract DSS No. 23244-2-4356/01-SS, Geodetic Survey of Canada, Ottawa, pp. 112.

148. Vaníček, P., Kleusberg, A., Martinec, Z., Sun, W., Ong, P., Najafi, M., Vajda, P., Harrie, L., Tomášek, P. and Horst, B., 1996. Compilation of a precise regional geoid. Final report of the contract DSS No. 23244-1-4405/01-SS, Geodetic Survey Division, Geomatics Sector, Natural Resources Canada, Ottawa, pp. 48.
149. Hanyk, L., Matyska, C., Martinec, Z. and Yuen, D. A., 1997. Density jumps in the transition zone and their role in viscoelastic responses. Supercomputer Institute Research Report, UMSI 97/76, University of Minnesota, pp. 17.
150. Martinec, Z. and Wolf, D., 1998. Explicit form of the propagator matrix for a multi-layered, incompressible viscoelastic sphere. Scientific Technical Report STR98/08, GeoForschungs-Zentrum Potsdam, Potsdam, pp. 18.
151. Martinec, Z., 1999. Continuum mechanics for geophysicists and geodesists. Part I: Basic theory. Technical Report No. 1999.2 of the Department of Geodesy and Geoinformatics, Stuttgart University, Stuttgart, pp. 61.
152. Sasgen, I., Wolf, D., Martinec, Z., Klemann, V. and Hagedoorn, J., 2005. Geodetic signatures of glacial changes in Antarctica: rates of geoid-height change and radial displacement due to present and past ice-mass variations. Scientific Technical Report STR05/01, GeoForschungsZentrum, Potsdam, Potsdam, pp. 72.
153. Souček, O. and Martinec, Z., 2006. Thermomechanical polythermal ice-sheet model. Scientific Technical Report STR06/13, GeoForschungsZentrum, Potsdam, Potsdam, pp. 106.
154. Kuvshinov, A., Velínský, J., Tarits, P., Semenov, A., Pankratov, O., Töffner-Clausen, L., Martinec, Z., Olsen, N., Sabaka, T.J., Jackson, A., 2010. Level 2 products and performances for mantle studies with Swarm. Swarm Science Study, Final Report, pp.173
http://esamultimedia.esa.int/docs/EarthObservation/Induction_Study_150110.pdf

6. Contributions in conference proceedings

155. Martinec, Z., 1979. Maximum entropy spectra of the Earth's tides. In: Problems of contemporary gravimetry, Brno, 359–368, (in Czech).
156. Plešinger, A., Pěč, K., Novotný, O. and Martinec, Z., 1980. Concept and scientific program of broad-band seismic profile Kašperské Hory-Książ. In: Research in deep geological structure of Czechoslovakia, Brno, 145–158, (in Czech).
157. Červený, V., Martinec, Z., Novotný, O. and Pěč, K., 1981. Survey of methods for Earth's density determination based on seismic data. In: Problems of contemporary gravimetry, Brno, 23–42, (in Czech).
158. Pěč, K., Martinec, Z., Ježek, J. and Buben, J., 1981. Stress distribution within seismic active regions of Europe as inferred from the shape of the Earth. In: Proc. of the 2nd Int. Symp. on the analysis of seismicity and seismic hazard. ed. V. Schenk, Czech. Acad. Sci., Geophys. Inst., Prague, 339–350.
159. Pěč, K. and Martinec, Z., 1982. Elastic stress distribution in the Earth's crust derived from gravimetric data and focal mechanism. In: Research of deep geological structure of Czechoslovakia. Loučná, 101–106, (in Czech).
160. Martinec, Z. and Pěč, K., 1983. Spherical harmonic expansion of geoid-, selenoid-, and areoid-radius. In: Problems of contemporary gravimetry, Brno, 19–26, (in Czech).

161. Pěč, K. and Martinec, Z., 1983. Classification of a product of global gravity anomalies. In: Problems of contemporary gravimetry, Brno, 43–48, (in Czech).
162. Martinec, Z. and Pěč, K., 1983. The relationship between functionals of the gravity potential and stress distribution in the upper mantle. In: Proc. Int. Symp. Figure of the Earth, the Moon and Other Planets. Praha, 83.
163. Martinec, Z. and Pěč, K., 1983. Spherical harmonic coefficients of the external equipotential surface inferred from Stokes constants. In: Proc. Int. Symp. Figure of the Earth, the Moon and Other Planets, Praha, 399–408.
164. Pěč, K., Martinec, Z. and Buben, J., 1985. Program package for spectral and coherency analysis and some applications. In: Proc. of Forecast of earthquake effects on important localities in Czechoslovakia, MFF UK, Praha, 201–215, (in Czech).
165. Martinec, Z. and Pěč, K., 1985. Autoregressive representation and simulation of accelerograms. In: Proc. of Forecast of earthquake effects on important localities in Czechoslovakia, MFF UK, Praha, 241–255, (in Czech).
166. Martinec, Z. and Pěč, K., 1985. Free decay modes of the Earth's conductivity model and their application to study of the Earth's structure. In: The 8th conference of Czechoslovak physicists, Bratislava, 369–372, (in Czech).
167. Pěč, K. and Martinec, Z., 1985. Departures of the Earth's density from the spherically symmetric Earth's model. In: Problems of contemporary gravimetry, Praha, 219–227, (in Czech).
168. Martinec, Z. and Pěč, K., 1986. Three-dimensional density distribution generating the observed gravity field of planets. Part I. The Earth. In: Proc. Int. Symp., Figure of the Earth, the Moon and Other planets, Praha, 129–152.
169. Martinec, Z. and Pěč, K., 1986. Three-dimensional density distribution generating the observed gravity field of planets. Part II. The Moon. In: Proc. Int. Symp., Figure of the Earth, the Moon and Other planets, Praha, 153–163.
170. Martinec, Z. and Pěč, K., 1987. Linearized inverse approach to determination of the explicit form of geoid radius. In: Proc. Math. Methods Solutions Inverse Probl., Bratislava, 139–156.
171. Martinec, Z. and Pěč, K., 1987. Density models of the Earth's crust discussed from the point of view of global density models. In: Problems of contemporary gravimetry, Praha, 81–85, (in Czech).
172. Martinec, Z. and Pěč, K., 1987. Stokes' parameters J_{20} and J_{40} which correspond to the Helmert formula for normal gravity. In: Problems of contemporary gravimetry, Praha, 87–93, (in Czech).
173. Martinec, Z. and Pěč, K., 1987. Density inhomogeneities inside the Earth's mantle. In: Problems of contemporary gravimetry, Praha, 103–109, (in Czech).
174. Martinec, Z. and Pěč, K., 1988. Global structure of density in the Earth's mantle. In: Research of deep structure of Czechoslovakia, Brno, 135–144, (in Czech).
175. Martinec, Z. and Pěč, K., 1988. Ellipsoidal corrections to the fundamental equation of physical geodesy. In: Problems of contemporary gravimetry, Liblice, 24–29, (in Czech).
176. Martinec, Z. and Pěč, K., 1988. Topography and gravitational field of Phobos. In: Problems of contemporary gravimetry, Liblice, 130–134, (in Czech).

177. Martinec, Z., Pěč, K. and Ježek, J. 1988. Global distribution of stresses within the Earth according to S.K. Runcorn and their relations to the tectonic features. In: Problems of contemporary gravimetry, Liblice, 232–243, (in Czech).
178. Burša, M., Martinec, Z. and Pěč, K., 1989. Tidal evolution of the Mars-Phobos system. Veroff. ZIPE, Nr.102, Proc. of 6th Int. Symp. Geodesy and Physics of the Earth, Part I, Potsdam, 227–230.
179. Burša, M., Martinec, Z. and Pěč, K., 1990. Gravity field of Phobos and its long-term variations. *Gravity, Gradiometry, and Gravimetry*, Springer-Verlag, New York, 119–125.
180. Martinec, Z., 1991. An improved method to the earth's potential coefficients estimation. Proceedings of the First International Geoid Commission Symposium, Milan, June 11-13, 1990 and printed in Determination of the Geoid. Present and Future, Springer-Verlag, New York, 40–48.
181. Pěč, K., Čadek, O., Hrdina, P., Martinec, Z., Matyska, C. and Moser, J., 1992. Global structure of geophysical fields. In: IBM Academic Initiative Projects Seminar, Prague, November 18-19, 1992, ČVUT, 27–32.
182. Martinec, Z. and Moser, J., 1992. The gravitational potential of the topographic masses. In: Proceedings of the 1-st Continental Workshop on the Geoid in Europe, Prague, May 11-14, 1992, eds. P.Holota and M.Vermeer, 420–427.
183. Martinec, Z., 1994. Scalar spherical harmonics - numerical codes available on the Department of Geophysics, Faculty of Mathematics and Physics, Charles University. In: Proc. of the seminar "Tasks of modern geodesy". Topographic agency of the Czech army, Prague, February 21-25, pp. 21 (in Czech).
184. Martinec, Z. and Vaníček, P., 1994. The indirect effect of topography in the Stokes-Helmert technique for a spherical approximation of the geoid. In: Quasigeoid/Geoid Theory and Its Regularization for the Czech Republic Territory. Topographic Service of the Czech Republic Army, Global Geodesy Working Group, Brussels, 8–14.
185. Martinec, Z., 1994. Overdetermined altimetry-gravimetry boundary value problem for determination of the global gravity field. In: Quasigeoid/Geoid Theory and Its Regularization for the Czech Republic Territory. Topographic Service of the Czech Republic Army, Global Geodesy Working Group, Brussels, 15–38.
186. Martinec, Z. and Matyska, C., 1994. Instability and non-uniqueness of the Stokes problem for geoid determination. In: Role of Modern Geodesy in Armed Forces. Topographic Service of the Czech Republic Army, Working Groups of the Military Geodesy. 2nd common seminar, Budapest, November 1994, 69–80.
187. Martinec, Z., 1999. Stokes's two-boundary-value problem. In: Quo vadis geodesia ... ? Festschrift for Erik W. Grafarend to the occasion of his 60th birthday, eds. F. Krumm and V. Schwarze, Technical Report No. 1999.6 of the Department of Geodesy and Geoinformatics, Stuttgart University, Stuttgart, 313–322.
188. Velínský, J., Martinec, Z. and Čadek, O., 1999. 3D modelling of electromagnetic induction in the Earth's Mantle. Tests of sensitivity to the 3D conductivity structure and the realistic source field. In: Proc. of the Week of doctoral students 1999, part III: Physics, eds. J. Šafránková, Matfyzpress, Prague, 512–517.

189. Velínský, J. and Martinec, Z., 2001. Initial value approach to the EM induction in a heterogeneous sphere: Validation of the method. In: Proc. of the Week of doctoral students 2001, part III: Physics, eds. J. Šafránková, Matfyzpress, Prague, 662–666.
190. Fleming, K., Martinec, Z. and Wolf, D., 2003. A reinterpretation of the Fennoscandian relaxation-time spectrum for a viscoelastic lithosphere. In: *3rd Meeting of the International Gravity and Geoid Commission, Gravity and Geoid 2002 - GG2002, 2003*, ed. I.N. Tziavos, Ziti Publishing, Thessaloniki, 432-438.

7. Popular science publications

191. Martinec, Z. and Pěč, K., 1983. Dynamika zemského pláště a litosféry. *Čs.čas.fyz.*, **A33**, 471–484, (in Czech).
192. Hanyk, L., Martinec, Z. and Matyska, C., 1995. Akordy z hlubin Země. *Pokroky Matematiky, Fyziky a Astronomie*, **40**, 208–218, (in Czech).
193. Velínský, J., Martinec, Z. and Everett, M.E., 2004. Elektromagnetická indukce v Zemi: pohled z oběžné dráhy. *Čs.čas.fyz.*, **54**, 209–213, (in Czech).